

LA PLUS BELLE F3680064

RF3680264

ANODIZED SHINY MIRROR HOOK



WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off. For the installation of the spare-part, it is necessary to consult a qualified electrician.

LA PLUS BELLE F3680064

RF3680264

ANODIZED SHINY MIRROR HOOK




Fig.1

Remove the mirror from the wall.

Disconnect the electrical cables.

Remove the power unit from the wall..

WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off. For the installation of the spare-part, it is necessary to consult a qualified electrician.

LA PLUS BELLE F3680064

RF3680264

ANODIZED SHINY MIRROR HOOK



Fig.2



Fig.3

Remove the screw located behind the power unit.

Remove the mirror hook from the power unit (See the yellow arrow).

LA PLUS BELLE F3680064

RF3680264

ANODIZED SHINY MIRROR HOOK



Fig.4



Fig.5

Position the mirror hook to the power unit (See the green arrow).

Tighten the screw behind the power unit.

LA PLUS BELLE F3680064

RF3680264

ANODIZED SHINY MIRROR HOOK




Fig.6

Position the power unit by screwing the screws in the same position as the old power unit.

WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off. For the installation of the spare-part, it is necessary to consult a qualified electrician.

LA PLUS BELLE F3680064

RF3680264

ANODIZED SHINY MIRROR HOOK





Fig.7

Connect the electric cables in the same position as the previous version.

LA PLUS BELLE F3680064

RF3680264

ANODIZED SHINY MIRROR HOOK



Position the protection screen and fix it with the 4 screws.

ΕN

LA PLUS BELLE F3680064

ΕN

RF3680264

ANODIZED SHINY MIRROR HOOK




Fig.9




Fig.10

Position and connect the mirror.