

RF02774

Toio Led Nickel plated brass cage



WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off. For the installation of the spare-part, it is necessary to consult a qualified electrician.

RF02774

Toio Led Nickel plated brass cage




Fig.1



Fig.2

Unfasten the screw (E) and free the damaged bulb cage (A) from the rod (B).

Assemble now the new spare part:

Place the lamp bulb cage (A) on the rod (B), ensuring that the insert (C) present on the cage (A) hooks inside the opening (D) of the rod (B).

Lock the cage (A) to the rod (B) by fastening the screw (E).

WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off. For the installation of the spare-part, it is necessary to consult a qualified electrician.

RF02774

Toio Led Nickel plated brass cage

A diagram showing a horizontal line with a small gap in the center. The left side of the line is labeled 'F' and the right side is labeled 'G'.A diagram showing a horizontal line with a small gap in the center. The left side of the line is labeled 'F' and the right side is labeled 'G'.

Fig.3

Insert the connector (F) inside the fitting of the lamp-bulb (G).

WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off. For the installation of the spare-part, it is necessary to consult a qualified electrician.