

RF6110300

Romeo Moon Suspension/Table 2 & Floor lampshade



WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off.
For the installation of the spare-part, it is necessary to consult a qualified electrician.

RF6110300

Romeo Moon Suspension/Table 2 & Floor lampshade




Fig.1

Place the glass shade (P) on the support ring (D).
Rest the covering ring (M) on the internal glass diffuser (L).

WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off.
For the installation of the spare-part, it is necessary to consult a qualified electrician.

RF6110300

Romeo Moon Suspension/Table 2 & Floor lampshade




Fig.1

Disassemble the cable stopper (A), remove the safety split pins (B), unscrew the knurled nuts (C) and adjustment ring (D).

WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off.
For the installation of the spare-part, it is necessary to consult a qualified electrician.

RF6110300

Romeo Moon Suspension/Table 2 & Floor lampshade




Fig.2

Fix the wall attachment (E) utilizing appropriate expansion bolts.

REMARKS! Select and utilize screw plugs which are suitable for the surface where the assembly is to be installed.

Assemble the adjustment balance ring by tightening the milled bolts and insert the safety cotter pins.

WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off.
For the installation of the spare-part, it is necessary to consult a qualified electrician.

RF6110300

Romeo Moon Suspension/Table 2 & Floor lampshade




Fig.3




Fig.4

Let the suspension cables (F) go through the steel ring (G) thereafter into the supporting ring (H).
Cut the steel cables (F) to the required length and attach them with the cable grips (I) provided.

WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off.
For the installation of the spare-part, it is necessary to consult a qualified electrician.

RF6110300

Romeo Moon Suspension/Table 2 & Floor lampshade




Fig.5




Fig.6

Insert the suspension cables (F) and the supporting ring (H) inside the crown as shown in the picture. Position the ends of the suspension cables into the holes (L) of the adjusting ring, paying attention to keep the cable stoppers outside the said ring.

WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off. For the installation of the spare-part, it is necessary to consult a qualified electrician.

RF6110300

Romeo Moon Suspension/Table 2 & Floor lampshade




Fig.7




Fig.8

Insert the diffuser (O) in the crown (P).
To balance the crown (N), act on the knurled nuts (O).

WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off.
For the installation of the spare-part, it is necessary to consult a qualified electrician.

RF6110300

Romeo Moon Suspension/Table 2 & Floor lampshade




Fig.9




Fig.10

To adjust the length of the power cord (P), disconnect it from the terminal board and cut it to the desired length. Reconnect to the terminal board. Insert the dust shield (Q). Attach the wires to the terminal board (R). Close the rosette (S) to the wall attachment (E) by fixing with nipple (A).

WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off.
For the installation of the spare-part, it is necessary to consult a qualified electrician.