

FLOS

F0090009 White

Aim

Designed by Ronan & Erwan Bouroullec, 2013




16W - 895lm - 2700K

Suspended light fitting. Body in varnished aluminium sheet, shade in photo-etched optical polycarbonate. Internal reflector in photo-etched ABS. Orientable body. Powered directly from mains. The LED can be dimmed with a «Triac for Led» dimmer approved by Flos. Flos does not respond in case of wrong electrical connection system installations. The cable has a useful length of 9 meters and thus the lamp can be suspended 3 meters from the ceiling. Multiple rose with capacity to connect up to 5 Aims also available.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



Main specifications

EAN	8059607013267
Mounting	Suspension
Environments	Indoor dry location
Light source type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	16
Lumen Output (lm)	895

Physical

Colour	White
Length (mm)	243
Cord colour	White
Canopy colour	White
Canopy length/diameter (mm)	80
Canopy height (mm)	23
Net weight (kg)	3.2
Package height (mm)	375
Package width (mm)	300
Package length (mm)	300
Package volume (m3)	0.03
IP internal	20

Download

Mounting instructions	PDF
Dimmers or chargers compatible	PDF

Photometric Files


LDT / IES	LDT
-----------	---------------------

Technical Drawings

2D	ZIP
3D	ZIP
BIM	ZIP



Schematic light drawing



Photometric


Light distribution	Roto symmetric
CCT (K)	2700
Extreme cut off	No

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
Power supply	Integrated
Dimmable	Yes
Power supply type	Mains Cut Dimming
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Ecodesesign and Energy Labelling

This product contains a light source of energy efficiency class F



Replaceable (LED only)
light source by a
professional

Accessories & Power Supply



OPTIONAL

F0093009

Aim Multiple Canopy




OPTIONAL

RF22227

Aim Dimmer

Spare Parts



01.	Aim/Aim Small Ceiling attachment assembly	RF0090109
02.	Aim/Aim Small Kit of quantity 3 m4 screws	RF06749
03.	Aim White ceiling rose assembly	RF0090209
04.	Aim Heatsink, 2700K Led Module & Reflector Assembly	RF0090700
05.	Aim opal diffuser	RF0090600



RF0090109

Aim/Aim Small Ceiling attachment assembly

RF06749

Aim/Aim Small Kit of quantity 3 m4 screws

RF0090209

Aim White ceiling rose assembly

RF0090700

Aim Heatsink, 2700K Led Module & Reflector Assembly



RF0090600

Aim opal diffuser