


Aim

Designed by Ronan & Erwan Bouroullec, 2013

16W - 895lm - 2700K

Suspended light fitting. Body in varnished aluminium sheet, shade in photo-etched optical polycarbonate. Internal reflector in photo-etched ABS. Orientable body. Powered directly from mains. The LED can be dimmed with a «Triac for Led» dimmer approved by Flos.Flos does not respond in case of wrong electrical connection system installations. The cable has a useful length of 9 meters and thus the lamp can be suspended 3 meters from the ceiling. Multiple rose with capacity to connect up to 5 Aims also available.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

EAN	8059607013281
Mounting	Suspension
Environments	Indoor dry location
Light source type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	16
Lumen Output (lm)	895

Physical

Colour	Black
Length (mm)	243
Cord colour	Black
Canopy colour	Black
Canopy length/diameter (mm)	80
Canopy height (mm)	23
Net weight (kg)	3.2
Package height (mm)	375
Package width (mm)	300
Package length (mm)	300
Package volume (m3)	0.03
IP internal	20

Download

Mounting instructions	PDF
Dimmers or chargers compatible	PDF

Photometric Files


LDT / IES	LDT
-----------	-----

Technical Drawings

2D	ZIP
3D	ZIP
Bim	ZIP



Schematic light drawing



Photometric

Light distribution	Roto symmetric
CCT (K)	2700
Extreme cut off	No

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
Power supply	Integrated
Dimmable	Yes
Power supply type	Mains Cut Dimming
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F



Accessories & Power Supply



OPTIONAL

F0093030

Aim Multiple Canopy




OPTIONAL

RF22227

Aim Dimmer

Spare Parts



- | | | |
|-----|---|-----------|
| 01. | Aim/Aim Small Black ceiling attachment assembly | RF0090130 |
| 02. | Aim/Aim Small Kit of quantity 3 m4 screws | RF06750 |
| 03. | Aim Black ceiling rose assembly | RF0090230 |
| 04. | Aim Heatsink, 2700K Led Module & Reflector Assembly | RF0090700 |
| 05. | Aim opal diffuser | RF0090600 |



RF0090130
Aim/Aim Small Black ceiling
attachment assembly



RF06750
Aim/Aim Small Kit of quantity 3
m4 screws



RF0090230
Aim Black ceiling rose assembly



RF0090700
Aim Heatsink, 2700K Led Module
& Reflector Assembly



RF0090600
Aim opal diffuser