


Aim Small

Designed by Ronan & Erwan Bouroullec, 2014

12W - 725lm - 2700K - CRI> 90

Suspended light fitting. Body in varnished aluminium sheet, shade in photo-etched optical polycarbonate. Internal reflector in photo-etched PC. Directionable body. Powered directly from mains. The LED can be dimmed with a «Triac for Led» dimmer approved by Flos. Flos does not respond in case of wrong electrical connection system installations. The cable has a useful length of 9 metres and thus the lamp can be suspended 3 metres from the ceiling. Multiple rose with capacity to connect up to 5 Aim Small also available.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

EAN	8059607013502
Mounting	Suspension
Environments	Indoor dry location
Light source type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	12
Lumen Output (lm)	725

Physical

Colour	White
Length (mm)	170
Cord colour	White
Canopy colour	White
Canopy length/diameter (mm)	80
Canopy height (mm)	23
Net weight (kg)	1.35
Package height (mm)	310
Package width (mm)	300
Package length (mm)	300
Package volume (m3)	0.03
IP internal	20

Download

Mounting instructions	↓ PDF
Dimmers or chargers compatible	↓ PDF
Spare Parts	↓ PDF

Photometric Files


LDT / IES	↓ LDT
-----------	-------

Technical Drawings

2D	↓ ZIP
3D	↓ ZIP
Bim	↓ ZIP



Schematic light drawing



Photometric

Light distribution	Roto symmetric
CCT (K)	2700
CRI>	90
Extreme cut off	No

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
Power supply	Integrated
Dimmable	Yes
Power supply type	Mains Cut Dimming
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F



Accessories & Power Supply



OPTIONAL

F0093009

Aim Multiple Canopy




OPTIONAL

RF22227

Aim Dimmer

Spare Parts



- | | | |
|-----|---|-----------|
| 01. | Aim/Aim Small Ceiling attachment assembly | RF0090109 |
| 02. | Aim/Aim Small Kit of quantity 3 m4 screws | RF06749 |
| 03. | Ceiling rose assembly | RF1555009 |
| 04. | Aim Small Heatsink, 2700K Led Module & Reflector Assembly | RF0095600 |
| 05. | Aim small opal diffuser | RF0095500 |

DOWNLOAD



RF0090109

Aim/Aim Small Ceiling attachment
assembly



RF06749

Aim/Aim Small Kit of quantity 3
m4 screws



RF1555009

Ceiling rose assembly



RF0095600

Aim Small Heatsink, 2700K Led
Module & Reflector Assembly



RF0095500

Aim small opal diffuser