

Arrangements Drop Down

Designed by Michael Anastassiades, 2018



30W - 1530lm - 2700K

A drop down light fixture part of the Flos Arrangements pendant light

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications


EAN	8059607014158
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	30
System flux (lm)	1530

Physical

Color	Black
Length (in)	19.49
Net weight (lb)	1.43
Gross weight (lb)	3.15
Package height (in)	1.77
Package width (in)	21.46
Package length (in)	29.72
Package volume (in)	1129.55
IP internal	20



Download


Mounting instructions  PDF

Photometric Files

LDT / IES  LDT


Technical Drawings

2D  ZIP

3D  ZIP





Schematic light drawing



Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F



Replaceable (LED only)
light source by a
professional


Photometric

Light distribution	Symmetric
CCT (K)	2700
Extreme cut off	No

Electrical

Insulation class	III
Frequency (Hz)	50/60
Main voltage (Vac)	48
Driver	Remote
Dimmable	Yes
Dimming type	Electronic 48V
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No


Accessories & Power Supply



REQUIRED

FU041530


Arrangements Big Rose



REQUIRED

FU041630

Arrangements Small Rose



REQUIRED

FU041830

Arrangements Recessed Rose