


FLOS

■ F0416030 Black

Arrangements Small Rose

Designed by Michael Anastassiades, 2018



Small Rose-MAX70

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

Main specifications

EAN	8059607001011
Environments	Indoor dry location
Power (W)	78

Physical

Colour	Black
Cord colour	Black
Cord length (mm)	2400
Canopy colour	Black
Canopy length/diameter (mm)	150
Canopy height (mm)	70
Net weight (kg)	1.25
Package height (mm)	120
Package width (mm)	240
Package length (mm)	260
Package volume (m3)	0.01
IP internal	20

Download

Mounting instructions	↓ PDF
Spare Parts	↓ PDF

Ecodesign and Energy Labelling



Replaceable control gear by a professional




Photometric

Extreme cut off No

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	120-277
Power supply	Integrated
Dimmable	Yes
Power supply type	Dimmable 0-10V, Dimmable 1-10V, Dimmable DALI 1, Dimmable Push
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Spare Parts



- | | | |
|-----|--|-----------|
| 00. | Push button and cables assembly for dimmer | RF27318 |
| 01. | Stretch cable ceiling rose kit | RF0410400 |
| 02. | Led dimmer kit | RF34197 |
| 05. | Power supply kit for Arrangements small & Noctambule | RF0410500 |
| 08. | Arrangements Small ceiling rose cover | RF0410700 |
| 09. | Spacers cable | RF26602 |
| 10. | Regolation cables key | RF26440 |
| 11. | Element support assembly | RF26906 |

[DOWNLOAD](#)



RF27318
Push button and cables assembly
for dimmer



RF0410400
Stretch cable ceiling rose kit



RF34197
Led dimmer kit



RF0410500
Power supply kit for
Arrangements small &
Noctambule



RF0410700
Arrangements Small ceiling rose
cover



RF26602
Spacers cable



RF26440
Regulation cables key



RF26906
Element support assembly