

FLOS

F0995035 Tomato


Bilboquet

Designed by Philippe Malouin, 2023



LED retrofit - 8W

Table lamp with adjustable head. Integrated LED bulb and cut-off providing direct lighting. Body made of a special pigmented polycarbonate deriving from a by-product of paper production rather than from petroleum. Adjustability through steel sphere treated with protective layer deposited in PVD. Useful length of the cable 2 mt. The cable can be adjusted and locked in place through a special slit in the base of the lamp. The product has been designed according to the ISCC standards and it is assembled with total absence of glued components so that it can be completely separated for future recyclability.



Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

Main specifications

EAN	8059607059203
Mounting	Table
Environments	Indoor dry location
Light source type	Bulb
Light sources included	Yes
Lamp category	LED retrofit
Lamp holders	GU10
Number of lamps	1
Power (W)	8
System power (W)	7.5

Physical

Colour	Tomato
Length (mm)	104
Cord colour	Tomato
Cord length (mm)	2000
Net weight (kg)	1.8
Package height (mm)	95
Package width (mm)	300
Package length (mm)	380
Package volume (m3)	0.01
IP internal	20

Download

[Mounting instructions](#)  PDF

Photometric Files

[LDT / IES](#)  ZIP

Technical Drawings

[2D](#)  ZIP


[3D](#)  ZIP

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class G



Schematic light drawing



Beam Angle: 54°

h(m)	E(lx)	D(m)
1	571	1.01
2	143	2.02
3	63	3.02
4	36	4.03
5	23	5.04

Luminous flux luminaire
615 lm

Photometric


Light distribution

Symmetric

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Dimmable	No
Dimming interface	Switch Integrated (Not Dimmable)
Plug type	Type C
Batteries inside	No

Bulbs




INCLUDED

RF35612

Non Dimmable Bulb 2700K 7,5W

220-240V

Spare Parts



- | | | |
|-----|-------------------------------------------------------|-----------|
| 01. | Red electric mounting with On/Off switch and diffuser | RF0990035 |
| 02. | Sphere with pin | RF36760 |
| 03. | Red base assembly | RF0991035 |



RF0990035
Red electric mounting with On/Off
switch and diffuser



RF36760
Sphere with pin



RF0991035
Red base assembly