

Climber Up&Down - 87 Non Dimmable White

Designed by Piero Lissoni, 2016



708lm 2700K CRI> 80 Beam° 70

COOKIES

Flos S.p.A. use functional, analytical, profiling and marketing cookies (and similar technologies), placed by themselves and third parties, in order to measure the use of, optimise and further develop our website, as well as for (personalised) advertising purposes and to monitor and analyse your internet behaviour.

By clicking on "Refuse unnecessary" only technical/functionality cookies will be installed. By clicking on "Accept all" you consent to the use of all the cookies. By clicking on "Change settings" you can accept or refuse cookies on the basis on your preferences and save your choices. You can modify your options anytime. To know more refer to our [Cookie Policy](#).


Refuse unnecessary

Change settings

Accept all



Schematic light drawing



Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class E

Non-replaceable light source

Replaceable control gear by a professional

Photometric Electrical

COOKIES

Flos S.p.A. use functional, analytical, profiling and marketing cookies (and similar technologies), placed by themselves and third parties, in order to measure the use of, optimise and further develop our website, as well as for (personalised) advertising purposes and to monitor and analyse your internet behaviour.

By clicking on "Refuse unnecessary" only technical/functionality cookies will be installed. By clicking on "Accept all" you consent to the use of all the cookies. By clicking on "Change settings" you can accept or refuse cookies on the basis on your preferences and save your choices. You can modify your options anytime. To know more refer to our [Cookie Policy](#).

Notes

We recommend using a connection system with a degree of protection greater than or equal to the degree of protection of the luminaire.

During the installation and the maintenance of the fixtures it is important to be careful and avoid damages on the paint coating.



Damages on the coating exposed to outdoor conditions or water, could cause corrosion.

COOKIES

Flos S.p.A. use functional, analytical, profiling and marketing cookies (and similar technologies), placed by themselves and third parties, in order to measure the use of, optimise and further develop our website, as well as for (personalised) advertising purposes and to monitor and analyse your internet behaviour.

By clicking on "Refuse unnecessary" only technical/functionality cookies will be installed.

By clicking on "Accept all" you consent to the use of all the cookies. By clicking on "Change settings" you can accept or refuse cookies on the basis on your preferences and save your choices. You can modify your options anytime. To know more refer to our [Cookie Policy](#).



COOKIES

Flos S.p.A. use functional, analytical, profiling and marketing cookies (and similar technologies), placed by themselves and third parties, in order to measure the use of, optimise and further develop our website, as well as for (personalised) advertising purposes and to monitor and analyse your internet behaviour.

By clicking on "Refuse unnecessary" only technical/functionality cookies will be installed. By clicking on "Accept all" you consent to the use of all the cookies. By clicking on "Change settings" you can accept or refuse cookies on the basis on your preferences and save your choices. You can modify your options anytime. To know more refer to our [Cookie Policy](#).