

FLOS

F1854033 Argent


Coordinates Suspension 4

Designed by Michael Anastassiades, 2020



161W - 8830lm - 2700K - CRI> 95

Coordinates is a lighting system with diffuse light composed of horizontal and vertical luminaires arranged in a bright grid of various shapes and complexities. Each element is made of extruded anodized aluminium with a champagne or argent finish and a diffuser in platinum optical silicone with an integrated LED strip (CRI 95). Each element is powered and supported by an invisible electrical and mechanical connection designed specifically to allow for the composition of the 4 hanging models (S3, S4) with 2.4-m cables. Each Coordinates configuration includes its own ceiling rose, whose integrated electronics allow for the use of different dimmer systems: push, 1-10, DALI. In the absence of these systems, the amount of light can be set during installation with the push system included in the rose.



Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

Main specifications

EAN	8059607038383
Mounting	Suspension
Environments	Indoor dry location
Light source type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	161
Lumen Output (lm)	8830

Physical

Colour	Argent
Length (mm)	1762
Cord colour	Clear
Canopy colour	Argent
Canopy length/diameter (mm)	181
Canopy height (mm)	95
Net weight (kg)	7.9
Package volume (m3)	0.06
IP internal	20

Download

Mounting instructions

[PDF](#)

Photometric Files

ULD

[ZIP](#)

Technical Drawings

3D

[ZIP](#)

BIM

[ZIP](#)



Photometric

Lighting type	Total
Light distribution	Asymmetric
CCT (K)	2700
CRI>	95
Extreme cut off	No


Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
Power supply	Integrated
Dimmable	Yes
Power supply type	Dimmable 0-10V, Dimmable 1-10V, Dimmable DALI 1, Dimmable Push
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Ecodesign and Energy

Labelling

This product contains a light source of energy efficiency class F




Replaceable (LED only)
light source by a
professional



Replaceable control
gear by a professional

Spare Parts



00.	Push button and cables assembly for dimmer	RF27318
01.	Coordinates S Assembly Big Rose Argent	RF1873133
02.	Led dimmer kit	RF34197
04.	Coordinates Rod Assembly L1760 H-10 Argent	RF30918
05.	Coordinates Suspension 4 Rod Assembly L920 S-14 Argent	RF30922
06.	Rod Assembly L920 SA-12 Argent	RF30920
07.	Coordinates Suspension 4 Rod Assembly L920 S-13 Argent	RF30921



RF27318

Push button and cables assembly
for dimmer



RF1873133

Coordinates S Assembly Big Rose
Argent



RF34197

Led dimmer kit



RF30918

Coordinates Rod Assembly L1760
H-10 Argent



RF30922

Coordinates Suspension 4 Rod
Assembly L920 S-14 Argent



RF30920

Rod Assembly L920 SA-12 Argent



RF30921

Coordinates Suspension 4 Rod
Assembly L920 S-13 Argent