

FLOS

F1810033 Argent

Coordinates Wall 1

Designed by Michael Anastassiades, 2020


21W - 961lm - 2700K - CRI> 90

Wall-mounted diffuse lighting device composed of a horizontal bar (model Wall 1) or vertical and horizontal bar (model W2). Each bar is composed of: extruded and processed aluminium body anodized in a champagne or argent colour; diffuser in platinum optical silicone; integrated LED strip (CRI 90). Each model comes with its own rose, whose integrated electronics use only the TRIAC dimmer system.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications

| | |
|------------------------|---------------------|
| EAN | 8059607035245 |
| Mounting | Wall |
| Environments | Indoor dry location |
| Light source type | LED |
| Light sources included | Yes |
| LED type | LED Module |
| Power (W) | 21 |
| System power (W) | 21 |
| Lumen Output (lm) | 961 |

Physical

| | |
|---------------------|--------|
| Colour | Argent |
| Length (mm) | 100 |
| Net weight (kg) | 0.8 |
| Package height (mm) | 145 |
| Package width (mm) | 290 |
| Package length (mm) | 890 |
| Package volume (m3) | 0.04 |
| IP internal | 20 |

Download

Mounting instructions [↓ PDF](#)

Dimmers or chargers compatible [↓ PDF](#)

Photometric Files

ULD [↓ ZIP](#)

LDT / IES [↓ LDT](#)

Technical Drawings

3D [↓ ZIP](#)

[Bim](#) [↓ ZIP](#)



Photometric


| | |
|--------------------|------------|
| Light distribution | Asymmetric |
| CCT (K) | 2700 |
| CRI> | 90 |
| Extreme cut off | No |

Electrical

| | |
|--------------------|--|
| Insulation class | I |
| Frequency (Hz) | 50/60 |
| Main voltage (Vac) | 220-240 |
| Power supply | Integrated |
| Dimmable | Yes |
| Power supply type | Mains Cut Dimming |
| Dimming interface | Remote Dimmable (Dimmer Not Included) |
| Batteries inside | No |

Ecodesign and Energy Labelling


This product contains a light source of energy efficiency class F




Spare Parts

01. Coordinates W1 Power supply
assembly – New type

RF37005



***ATTENTION: This spare part is compatible only with the new product versions.**



RF37005

Coordinates W1 Power supply
assembly – New type