

Gatto

Designed by Achille and Pier Giacomo Castiglioni, 1960

Halogen - 60W



Table lamp providing diffused light. White powder coated internal steel structure sprayed with a unique "cocoon" resin to create the diffuser which is then protected by a transparent sprayed on finish. On the cable there is the electronic dimmer which allows the regulation of light brightness.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

| | |
|------------------------|---------------------|
| EAN | 8059607002056 |
| Mounting | Table |
| Environments | Indoor dry location |
| Light source type | Bulb |
| Light sources included | No |
| Lamp category | Halogen |
| Lamp holders | E27 |
| Ilcos | HSGSA |
| Number of lamps | 1 |
| Power (W) | 60 |

Physical

| | |
|---------------------|-------|
| Colour | White |
| Length (mm) | 350 |
| Cord colour | White |
| Net weight (kg) | 1.7 |
| Package height (mm) | 800 |
| Package width (mm) | 440 |
| Package length (mm) | 440 |
| Package volume (m3) | 0.15 |
| IP internal | 20 |



Download


- Mounting instructions [Download PDF](#)
- Mounting instructions [Download PDF](#)

Photometric Files


- LDT / IES [Download LDT](#)

Technical Drawings

- 2D [Download ZIP](#)
- 3D [Download ZIP](#)



Schematic light drawing




Photometric

| | |
|--------------------|-----------|
| Lighting type | Total |
| Light distribution | Symmetric |
| Extreme cut off | No |

Electrical

| | |
|--------------------|-------------------|
| Insulation class | II |
| Frequency (Hz) | 50/60 |
| Main voltage (Vac) | 220-240 |
| Dimmable | Yes |
| Dimming interface | Dimmer Integrated |
| Plug type | Type C |
| Batteries inside | No |


Bulbs



NOT INCLUDED

RF32563

LED Lamp 11.5W E27 220-240V
2700K A70




NOT INCLUDED

RF32564

LED Lamp 11.5W E27 220-240V
3000K A70

Spare Parts

01. New White Dimmer Switch RF28205





RF28205

New White Dimmer Switch