

FLOS



F012A02CU30.C Black/Black Lava

IC F1 Outdoor H 1350 mm

Designed by Michael Anastassiades, 2019



Outdoor floor lamp emitting diffused light. Frame in brushed stainless steel, brushed brass or painted finish. Opalescent diffuser in blown glass. Structure treated with chemical conversion process for resistance to atmospheric agents. Light source with E14/E27 connection not included. Supplied with 5 m outdoor cable with Schuko IP44 plug and IP65 backlit floor dimmer for ON/OFF and 30–100% brightness regulation. Dimmable LED bulb sold separately.

Designed by Michael Anastassiades, IC Outdoor takes the iconic IC language outdoors. Inspired by the visual tension of a sphere poised in perfect equilibrium, the design explores balance and movement through minimal, poetic forms. With its slender vertical profile, IC F Outdoor introduces a distinctly refined sculptural presence to exterior spaces.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

Main specifications

EAN	8054793218427
Mounting	Floor
Environments	Outdoor wet location
Light Source Type	Bulb
Light sources included	No
Number of lamps	1

Physical

Color	Black/Black Lava
Orientation	Fixed
Net weight (lb)	11.62
Gross weight (lb)	11.22
IP internal	65



Download

Mounting instructions



ZIP

Photometric Files

LDT / IES



ZIP

LDT / IES



ZIP

LDT / IES



ZIP

Technical Drawings

2D



ZIP

2D



ZIP

2D



ZIP

2D



ZIP

3D



ZIP

3D



ZIP

3D



ZIP

3D




ZIP

Ecodesign and Energy Labelling



REPLACEABLE4

Schematic light drawing



Photometric

Lighting type	Direct
Light distribution	Symmetric

Electrical

Frequency (Hz)	50/60
Main voltage (Vac)	110-240
Driver	Remote included
Dimmable	Yes
Dimming type	Dimmer on board
Dimming interface	Switch Integrated (Remote Dimmable)

Notes

Bulb not included. LED: max 8W - E14

Bulbs



NOT INCLUDED

RF34658

LED lamp G9 5W 100-130V 2700K