

FLOS

 F3175059 Brass

IC Lights S1

Designed by Michael Anastassiades, 2014



Halogen - 60W

Suspension lamp providing diffused light. Frame in brass, chrome or black. Blown glass opal diffuser.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

Main specifications

EAN	8059607003336
Mounting	Suspension
Environments	Indoor dry location
Light source type	Bulb
Light sources included	No
Lamp category	Halogen
Lamp holders	E14
Ilcos	HSGS
Number of lamps	1
Power (W)	60

Physical

Colour	Brass
Length (mm)	200
Cord colour	Black
Canopy colour	Brass
Canopy length/diameter (mm)	113
Canopy height (mm)	32
Net weight (kg)	1.75
Package volume (m3)	0.05
IP internal	20



Download

Mounting instructions [PDF](#)



Photometric Files

LDT / IES



Technical Drawings

2D




3D



Bim



Schematic light drawing






Photometric

Lighting type	Total
Light distribution	Asymmetric
Extreme cut off	No

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Bulbs



NOT INCLUDED

RF32290

LED Lamp E14 8W 2700K T28

NOT INCLUDED

RF32291

LED Lamp E14 8W 3000K T28

NOT INCLUDED

RF37192


LED Lamp 7,5W E14 220-240V
2700K T28

NOT INCLUDED

RF37193

LED Lamp 7,5W E14 220-240V
2700K T28

Spare Parts



01.	IC Lights 1 diffuser for brass version	F3136059
02.	lc Suspension 1/Suspension 2 brass ceiling rose assembly	RF3170359
03.	Kit with screws and allen key	RF3160100
04.	lc Suspension 1 E14 lamp holder assembly	RF3170100



F3136059

IC Lights 1 diffuser for brass version



RF3170359

Ic Suspension 1/Suspension 2 brass ceiling rose assembly



RF3160100

Kit with screws and allen key



RF3170100

Ic Suspension 1 E14 lamp holder assembly