

FLOS

FU317557 Chrome


IC Lights S1

Designed by Michael Anastassiades, 2014



Halogen - 75W

Like the other pieces in the IC Light Series, the IC Lights S balances designer Michael Anastassiades' love of industrial simplicity with intricate symbolism. Providing diffused light through an opal blown glass diffuser, this pendant light is framed in brass-finished steel. Inspiration behind the design: Poise is powerful: That's the message Michael Anastassiades offers with his IC Light Series. From the skillful balance of the sphere and baton that invokes thoughts of a dexterous juggler's act to the lamp's name-IC, a reference to the identity code used to evaluate immigrants entering the UK-the designer makes a commanding statement.



Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

Main specifications

EAN	8059607011331
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Light sources included	No
Lamp category	Halogen
Lamp type	T4
Lamp holders	G9
Number of lamps	1
Power (W)	75

Physical

Color	Chrome
Length (in)	7.87
Cord color	Black
Cord length (in)	106.299
Canopy color	Chrome
Canopy height (in)	1.260
Net weight (lb)	3.86
Gross weight (lb)	7.21
Package volume (in)	2816.2
IP internal	20

Download

[Mounting instructions](#)



Photometric

Lighting type	Total
Light distribution	Asymmetric
Extreme cut off	No

Electrical

Insulation class	I
Frequency (Hz)	60
Main voltage (Vac)	120
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Bulbs




NOT INCLUDED

RF34658

60W G9 Frosted Halogen Lamp

Spare Parts



- | | | |
|-----|--|-----------|
| 00. | IC Light Suspension Power Cord | RF29731 |
| 01. | IC Lights 1 diffuser for chrome version | F3136057 |
| 02. | IC Suspension Chrome ceiling rose assembly | RFU317357 |



RF29731

IC Light Suspension Power Cord



F3136057

IC Lights 1 diffuser for chrome version



RFU317357

IC Suspension Chrome ceiling rose assembly