

# FLOS

FU315159 Brass

## IC Lights S3

Designed by Michael Anastassiades, 2024



LED retrofit - 150W

Suspension lamp providing diffused light. Frame in brass or Gold plate 24 carat.  
Blown glass opal diffuser.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

### Main specifications

EAN	8059607067307
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Light sources included	No
Lamp category	LED retrofit
Lamp holders	E26
Number of lamps	1
Power (W)	150

### Physical

Color	Brass
Length (in)	25.59
Cord color	Black
Cord length (in)	110.236
Canopy color	Brass
Canopy height (in)	1.417
Net weight (lb)	15.43
Gross weight (lb)	24.03
Package volume (in)	15264.78
IP internal	20



### Download

[Mounting instructions](#)




## Photometric

Lighting type	Direct, Indirect
Light distribution	Asymmetric
Extreme cut off	No

## Electrical

Insulation class	I
Frequency (Hz)	60
Main voltage (Vac)	120
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)

## Bulbs




NOT INCLUDED

RF37092

Soft White LED Lamp 20W E27

120V 2700K A21

## Spare Parts




- |     |  |           |
|-----|--|-----------|
| 01. | IC 3 White/brass diffuser                              | F3153059  |
| 02. | IC S3 Brass ceiling rose US                            | RFU315259 |
| 03. | IC T/S 3 Fixed flange semi-cover<br>for brass diffuser | RF36457   |
| 04. | IC T/S 3 Kit of screws and allen<br>key                | RF3154100 |



F3153059

IC 3 White/brass diffuser



RFU315259

IC S3 Brass ceiling rose US



RF36457

IC T/S 3 Fixed flange semi-cover  
for brass diffuser



RF3154100

IC T/S 3 Kit of screws and allen  
key