

03.0713.40ASX White

Johnny 80 No Trim 2L Square

Designed by FLOS Architectural, 2017



No Trim recessed luminaire with LED light source. Power supply included.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

Mounting	Ceiling recessed
Environments	Indoor dry location
Light sources included	N
LED type	Power LED
Number of lamps	2
Power (W)	6.2
Source flux (lm)	560
System flux (lm)	385

Physical

Color	White
Longitudinal tilting (°)	40
Transversal tilting (°)	40
Package volume (in)	N
IP internal	20



Download


- Family spec sheet [ZIP](#)
- Mounting instructions [PDF](#)

Photometric Files

- LDT / IES [ZIP](#)



Schematic light drawing



Photometric

Light distribution	Symmetric
CCT (K)	2700
CRI>	90
Beam angle C0-180 (°)	11
Beam angle C90-270 (°)	11

Electrical

Frequency (Hz)	50/60
Main voltage (Vac)	120
LED current (mA)	500
Dimmable	Yes
Dimming type	Dimmable 1-10V

Notes

Class 2 Listed

Accessories & Power Supply



REQUIRED
Frame

08.9105.00

Installation frame No Trim



OPTIONAL
Housing and Hanger Bar

TRAY-0003

Registration Tray - non electrical,
place holder for non IC new
construction, Johnny 80 2 Lights
Trim, 2.95 x 5.79"