

# FLOS

F3452009 White

## Kelvin Edge Base

Designed by Antonio Citterio, 2015


7W - 306lm - 2700-3200K - CRI > 90



Adjustable table lamp providing direct light. Aluminium painted or chromed body, with die cast head, joints and forks, and extruded arms. Diffuser in photoengraved polycarbonate and aluminate on the perimeter. Edge Lighting technology light source. Optical switch sensor placed on the head that provide 3-step dimming function and color temperature adjustment at 2700K or 3200K. Power cord length 150 cm. Plug-in power supply with interchangeable plugs.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



### Main specifications

EAN	8059607004579
Mounting	Table
Environments	Indoor dry location
Light source type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	7
Lumen Output (lm)	306

### Physical

Colour	White
Length (mm)	473
Cord colour	Clear
Net weight (kg)	3.9
Package volume (m3)	0.02
IP internal	20

### Download

- [Mounting instructions](#) PDF
- [Mounting instructions](#) PDF
- [Mounting instructions](#) PDF

### Photometric Files


- [LDT / IES](#) LDT

### Technical Drawings

- [2D](#) ZIP



## Schematic light drawing



## Photometric

Lighting type	Direct
Light distribution	Symmetric
CCT (K)	2700-3200
CRI>	90
Extreme cut off	No

## Electrical


Insulation class	III
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
Power supply	Remote included
Dimmable	Yes
Power supply type	Electronic 24V
Dimming interface	Dimmer Integrated
Plug type	Type A, Type C, Type G
Batteries inside	No

## Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class E



## Spare Parts



- |     |                                      |           |
|-----|--------------------------------------|-----------|
| 01. | White plug assembly kit & 24V driver | RF6600209 |
| 02. | Kelvin edge white base               | F3451009  |
| 03. | Kelvin edge white body               | F3450009  |



RF6600209  
White plug assembly kit & 24V  
driver



F3451009  
Kelvin edge white base



F3450009  
Kelvin edge white body