

# FLOS

 FU027300 Black


## Noctambule Suspension 2 Low Cylinder Bowl

Designed by Konstantin Grcic, 2019



45W - 1007lm - 2700K - CRI> 90

Interior Design's 2019 Best of Year Awards Winner Another pioneering lighting design in the array of lamps and lighting fixtures FLOS is known for, Noctambule LED dimmable pendant light with tall cylinders is one of designer Konstantin Grcic's finest creations. Adaptable to any interior space, this dynamic fixture can be configured as a pendant lamp or standing light using the additional components available with the product. Inspired by night owls, Noctambule by Konstantin Grcic features a transparent body that almost blends into a room when unlit, but makes its presence known when it illuminates at night. Available in a variety of unique and distinct design options, Noctambule pendant lamp by FLOS comes with a cylindrical body (at a low or high height) that can be combined with a dome or cone shaped head in case you require a more direct lighting source. Its dimming capabilities can be controlled from the power unit with the ceiling rose or the pedal operated panel in the power cord.



Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

### Main specifications

EAN	8059607073537
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	45
System flux (lm)	1007

### Physical

Color	Black
Length (in)	9.84
Cord color	Black
Canopy height (in)	1.772
Net weight (lb)	31.31
Gross weight (lb)	47.84
Package volume (in)	30218.59
IP internal	20

### Download

Mounting instructions  PDF

Mounting instructions  PDF

### Photometric Files

LDT / IES




### Technical Drawings

3D



## Schematic light drawing



## Photometric

Lighting type	Total
Light distribution	Symmetric
CCT (K)	2700
CRI>	90
Extreme cut off	No


## Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	120-277
Driver	Integrated
Dimmable	Yes
Dimming type	Dimmable 1-10V, Dimmable DALI 1, Dimmable Push
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No


## Ecodesign and Energy

### Labelling

This product contains a light source of energy efficiency class E







Replaceable (LED only)  
light source by a  
professional



Replaceable control  
gear by a professional

## Spare Parts



- |     |                                                      |           |
|-----|------------------------------------------------------|-----------|
| 01. | Power supply kit for Arrangements small & Noctambule | RF0410500 |
| 02. | Led dimmer kit                                       | RF35452   |
| 03. | Noctambule ceiling rose cover                        | RF27422   |
| 04. | Noctambule Suspension attack                         | F0253030  |
| 05. | Ring led diffuser                                    | RF27498   |
| 06. | Fixing screws kit                                    | RF0254100 |
| 07. | Noctambule Low Cylinder                              | F0254000  |
| 10. | Noctambule Bowl                                      | F0255000  |



RF0410500

Power supply kit for  
Arrangements small &  
Noctambule



RF35452

Led dimmer kit



RF27422

Noctambule ceiling rose cover



F0253030

Noctambule Suspension attack



RF27498

Ring led diffuser



RF0254100

Fixing screws kit



F0254000

Noctambule Low Cylinder



F0255000

Noctambule Bowl