

FLOS


 FU027600 Black

Noctambule Suspension 3 Low Cylinder

Designed by Konstantin Grcic, 2019

36W - 1196lm - 2700K

Interior Design's 2019 Best of Year Awards Winner Another pioneering lighting design in the array of lamps and lighting fixtures FLOS is known for, Noctambule LED dimmable pendant light with tall cylinders is one of designer Konstantin Grcic's finest creations. Adaptable to any interior space, this dynamic fixture can be configured as a pendant lamp or standing light using the additional components available with the product. Inspired by night owls, Noctambule by Konstantin Grcic features a transparent body that almost blends into a room when unlit, but makes its presence known when it illuminates at night. Available in a variety of unique and distinct design options, Noctambule pendant lamp by FLOS comes with a cylindrical body (at a low or high height) that can be combined with a dome or cone shaped head in case you require a more direct lighting source. Its dimming capabilities can be controlled from the power unit with the ceiling rose or the pedal operated panel in the power cord.



Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

Main specifications

EAN	8059607073568
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	36
System flux (lm)	1196

Physical


Color	Black
Length (in)	9.84
Cord color	Black
Canopy height (in)	1.772
Net weight (lb)	29.54
Gross weight (lb)	38.8
Package volume (in)	13872.46
IP internal	20

Download

[Mounting instructions](#)  PDF

[Mounting instructions](#)  PDF

Photometric Files


[LDT / IES](#)  ZIP

Technical Drawings

[3D](#)  ZIP



Schematic light drawing



Photometric


Lighting type	Total
Light distribution	Symmetric
CCT (K)	2700
Extreme cut off	No

Electrical


Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	120-277
Driver	Integrated
Dimmable	Yes
Dimming type	Dimmable 1-10V, Dimmable DALI 1, Dimmable Push
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Ecodesign and Energy
Labelling

This product contains a light
source of energy efficiency
class E




Replaceable (LED only)
light source by a
professional



Replaceable control
gear by a professional

Spare Parts



- | | | |
|-----|--|-----------|
| 01. | Power supply kit for Arrangements small & Noctambule | RF0410500 |
| 02. | Led dimmer kit | RF35452 |
| 03. | Noctambule ceiling rose cover | RF27422 |
| 04. | Noctambule Suspension attack | F0253030 |
| 05. | Ring led diffuser | RF27498 |
| 06. | Fixing screws kit | RF0254100 |
| 07. | Noctambule Low Cylinder | F0254000 |
| 08. | Noctambule Suspension Terminal ring | F0258030 |



RF0410500

Power supply kit for
Arrangements small &
Noctambule



RF35452

Led dimmer kit



RF27422

Noctambule ceiling rose cover



F0253030

Noctambule Suspension attack



RF27498

Ring led diffuser



RF0254100

Fixing screws kit



F0254000

Noctambule Low Cylinder



F0258030

Noctambule Suspension Terminal
ring