

Outgraze 50 L 1200 mm Dimmable DALI
Anthracite

Designed by FLOS Outdoor, 2019



COOKIES

Flos S.p.A. use functional, analytical, profiling and marketing cookies (and similar technologies), placed by themselves and third parties, in order to measure the use of, optimise and further develop our website, as well as for (personalised) advertising purposes and to monitor and analyse your internet behaviour.

By clicking on "Refuse unnecessary" only technical/functionality cookies will be installed. By clicking on "Accept all" you consent to the use of all the cookies. By clicking on "Change settings" you can accept or refuse cookies on the basis on your preferences and save your choices. You can modify your options anytime. To know more refer to our [Cookie Policy](#).

Refuse unnecessary


Change settings

Accept all

Package volume (m3)	0.02
IP internal	66
Drive Over	No



Schematic light drawing



Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class E



Replaceable (LED only) light source by a professional



Replaceable control gear by a professional

Photometric

Electrical

COOKIES

Flos S.p.A. use functional, analytical, profiling and marketing cookies (and similar technologies), placed by themselves and third parties, in order to measure the use of, optimise and further develop our website, as well as for (personalised) advertising purposes and to monitor and analyse your internet behaviour.

By clicking on "Refuse unnecessary" only technical/functionality cookies will be installed.

By clicking on "Accept all" you consent to the use of all the cookies. By clicking on "Change settings" you can accept or refuse cookies on the basis on your preferences and save your choices. You can modify your options anytime. To know more refer to our [Cookie Policy](#).

Notes

We recommend using a connection system with a degree of protection greater than or equal to the degree of protection of the luminaire.

During the installation and the maintenance of the fixtures it is important to be careful and avoid damages on the paint coating.

Damages on the coating exposed to outdoor conditions or water, could cause corrosion.

COOKIES

Flos S.p.A. use functional, analytical, profiling and marketing cookies (and similar technologies), placed by themselves and third parties, in order to measure the use of, optimise and further develop our website, as well as for (personalised) advertising purposes and to monitor and analyse your internet behaviour.

By clicking on "Refuse unnecessary" only technical/functionality cookies will be installed.

By clicking on "Accept all" you consent to the use of all the cookies. By clicking on "Change settings" you can accept or refuse cookies on the basis on your preferences and save your choices. You can modify your options anytime. To know more refer to our [Cookie Policy](#).



COOKIES

Flos S.p.A. use functional, analytical, profiling and marketing cookies (and similar technologies), placed by themselves and third parties, in order to measure the use of, optimise and further develop our website, as well as for (personalised) advertising purposes and to monitor and analyse your internet behaviour.

By clicking on "Refuse unnecessary" only technical/functionality cookies will be installed.

By clicking on "Accept all" you consent to the use of all the cookies. By clicking on "Change settings" you can accept or refuse cookies on the basis on your preferences and save your choices. You can modify your options anytime. To know more refer to our [Cookie Policy](#).