

# FLOS

F4634009 White

## Overlap Suspension 2

Designed by Michael Anastassiades, 2018




Halogen - 2 x 105W

Suspended lamp with diffused light. Internal structure in white powder painted steel. Resin diffuser Cocoon sprayed on the structure, with a transparent protection created by spraying at the end of the machining, ring for substitution of printed steel diffuser in polished, Gold-plated "Galvanic" finish. Die-cast rose in Zama polished and Gold-plated "Galvanic" finish.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



### Main specifications

EAN	8059607020104
Mounting	Suspension
Environments	Indoor dry location
Light source type	Bulb
Light sources included	No
Lamp category	Halogen
Lamp holders	E27
lcos	HSGS
Number of lamps	2
Power (W)	105

### Physical

Colour	White
Length (mm)	1000
Cord colour	White
Cord length (mm)	2700
Canopy colour	Gold
Canopy length/diameter (mm)	113
Canopy height (mm)	32
Net weight (kg)	8.8
Package height (mm)	1400
Package width (mm)	900
Package length (mm)	900
Package volume (m3)	1.13
IP internal	20

### Download

- [Mounting instructions](#)  PDF
- [Mounting instructions](#)  PDF



## Photometric

Light distribution	Asymmetric
Extreme cut off	No

## Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

## Bulbs



NOT INCLUDED

RF32288

LED Lamp E27 15W 2700K T38




NOT INCLUDED

RF32289

LED Lamp E27 15W 3000K T38

## Spare Parts



- |     |   |           |
|-----|---|-----------|
| 01. | Complete rose                                 | RF4630159 |
| 02. | Kit with screws and allen key                 | RF3160100 |
| 03. | 4mt steel wire Ø1,2 with 19<br>winded wires   | RF01089   |
| 03. | 3 mt steel cable ø1,2 with 19<br>winded wires | RF29665   |



RF4630159  
Complete rose



RF3160100  
Kit with screws and allen key



RF01089  
4mt steel wire Ø1,2 with 19  
winded wires



RF29665  
3 mt steel cable ø1,2 with 19  
winded wires