

FLOS

F1371009 White

Smithfield Suspension

Designed by Jasper Morrison, 2009



Halogen - 4 x 105W

Suspension lamp with direct light. Aluminium body. Available in gloss black, matt black, red, green, white or MUD. Injection-moulded opalescent methacrylate diffuser. Steel ceiling attachment with steel suspension cable, 5 pole electric cable in PTFE double insulation, working length 2700 mm.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

Main specifications

EAN	8059607031261
Mounting	Suspension
Environments	Indoor dry location
Light source type	Bulb
Light sources included	No
Lamp category	Halogen
Lamp type	A70
Lamp holders	E27
Ilcos	HSGSA
Number of lamps	4
Power (W)	105

Physical

Colour	White
Length (mm)	600
Cord colour	Clear
Canopy colour	White
Canopy length/diameter (mm)	146
Canopy height (mm)	36
Net weight (kg)	4.5
Package height (mm)	310
Package width (mm)	710
Package length (mm)	710
Package volume (m ³)	0.16
IP internal	20




Download

Mounting instructions



Schematic light drawing



Photometric

Light distribution	Roto symmetric
Extreme cut off	No

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Bulbs



NOT INCLUDED

RF26259

LED Lamp 18W E27 2700K
Dimmable

NOT INCLUDED

RF26258

LED Lamp 18W E27 3000K T38
Dimmable

NOT INCLUDED


RF32288

LED Lamp E27 15W 2700K T38

NOT INCLUDED

RF32289

LED Lamp E27 15W 3000K T38



NOT INCLUDED

RF32563


LED Lamp 11.5W E27 220-240V
2700K A70

NOT INCLUDED

RF32564

LED Lamp 11.5W E27 220-240V
3000K A70

Spare Parts



01.	White rose assembly	RA3690209
02.	Kit of 5 or rings	RF05382
03.	Smithfield Suspension Wiring 2,7m FEP/PVC 3x0,75 Transparent	RF29907
04.	3 mt steel cable ø1,2 with 19 winded wires	RF29665
05.	Methacrylate diffuser	RF19022



RA369029

White rose assembly



RF05382

Kit of 5 or rings



RF29907

Smithfielded Suspension Wiring
2,7m FEP/PVC 3x0,75 Transparent



RF29665

3 mt steel cable ø1,2 with 19
winded wires



RF19022

Methacrylate diffuser