

# FLOS

 F1367035 Red

## Smithfield Suspension Pro

Designed by Jasper Morrison, 2009



45W - 2791lm - 2700K - CRI> 95

Suspension lamp with direct light. Aluminium body. Available in gloss black, matt black, red, green, white or MUD. Injection-moulded opalescent methacrylate diffuser. Steel ceiling attachment with steel suspension cable, 5 pole electric cable in PTFE double insulation, working length 2700mm.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

### Main specifications

EAN	8059607014998
Mounting	Suspension
Environments	Indoor dry location
Light source type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	45
System power (W)	45
Lumen Output (lm)	2791

### Physical

Colour	Red
Length (mm)	600
Cord colour	Clear
Cord length (mm)	2700
Canopy colour	Red
Canopy length/diameter (mm)	146
Canopy height (mm)	36
Net weight (kg)	5.9
Package height (mm)	310
Package width (mm)	710
Package length (mm)	710
Package volume (m3)	0.16
IP internal	20



### Download

[Mounting instructions](#)  PDF

### Photometric Files

[LDT / IES](#)  LDT

### Technical Drawings


[2D](#)  ZIP

[3D](#)  ZIP

[Bim](#)  ZIP



## Schematic light drawing



Luminous flux luminaire  
2623 lm

## Photometric


Lighting type	Direct
Light distribution	Roto symmetric
CCT (K)	2700
CRI>	95
Extreme cut off	No

## Electrical


Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
Power supply	Integrated
Power supply type	Dimmable Push
Batteries inside	No

## Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F



## Spare Parts



- |     |  |           |
|-----|--|-----------|
| 01. | Smithfield Suspension Red rose assembly                      | RF1367035 |
| 02. | Kit of 5 or rings  | RF05382   |
| 03. | Smithfield Suspension 2,9mt fep/pvc 5x0,75 transparent cable | RF29934   |
| 04. | 3 mt steel cable $\varnothing$ 1,2 with 19 winded wires      | RF29665   |
| 05. | Smithfield C/S Power supply 45W 450-1050mA                   | RF31980   |
| 06. | Methacrylate diffuser  | RF19022   |

RF29934

Smithfield Suspension 2,9mt  
fep/pvc 5x0,75 transparent cable



RF1367035

Smithfield Suspension Red rose  
assembly

RF05382

Kit of 5 or rings

RF29665

3 mt steel cable  $\varnothing$ 1,2 with 19  
winded wires



RF31980

Smithfield C/S Power supply 45W  
450-1050mA

RF19022

Methacrylate diffuser