

# FLOS

 F6612030 Glossy Black

## Spun Light Floor

Designed by Sebastian Wrong, 2003




Halogen - 250W

Floor fixture providing diffused lighting. Spun metal frame and diffuser, die-cast aluminum diffuser support arms and lamp-holder support, painted in the colors indicated below. White, injection-molded polycarbonate diffuser supports. On the cable there is the electronic dimmer which allows the regulation of light brightness.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



### Main specifications

|                        |                     |
|------------------------|---------------------|
| EAN                    | 8059607023198       |
| Mounting               | Floor               |
| Environments           | Indoor dry location |
| Light source type      | Bulb                |
| Light sources included | No                  |
| Lamp category          | Halogen             |
| Lamp holders           | E27                 |
| Ilcos                  | HSGS                |
| Number of lamps        | 1                   |
| Power (W)              | 250                 |

### Physical

|                     |              |
|---------------------|--------------|
| Colour              | Glossy Black |
| Length (mm)         | 500          |
| Cord colour         | Black        |
| Net weight (kg)     | 9.3          |
| Package height (mm) | 1880         |
| Package width (mm)  | 580          |
| Package length (mm) | 580          |
| Package volume (m3) | 0.63         |
| IP internal         | 20           |

### Download

Mounting instructions [PDF](#)



### Photometric Files

LDT / IES



### Technical Drawings


2D



3D



## Schematic light drawing



### Photometric

| Light distribution | Symmetric |
|--------------------|-----------|
|--------------------|-----------|

|                 |    |
|-----------------|----|
| Extreme cut off | No |
|-----------------|----|

### Electrical

|                  |    |
|------------------|----|
| Insulation class | II |
|------------------|----|

|                |       |
|----------------|-------|
| Frequency (Hz) | 50/60 |
|----------------|-------|

|                    |         |
|--------------------|---------|
| Main voltage (Vac) | 220-240 |
|--------------------|---------|

|          |     |
|----------|-----|
| Dimmable | Yes |
|----------|-----|

|                   |                   |
|-------------------|-------------------|
| Dimming interface | Dimmer Integrated |
|-------------------|-------------------|

|           |        |
|-----------|--------|
| Plug type | Type C |
|-----------|--------|

|                  |    |
|------------------|----|
| Batteries inside | No |
|------------------|----|

## Bulbs




### NOT INCLUDED

RF26998  
LED 21W E27 2450lm 3000K  
DIMMER

### NOT INCLUDED

RF30429  
LED Opal Lamp E27 21W 2700K  
A65 Dimmable

## Spare Parts



|     |   |           |
|-----|---|-----------|
| 01. | Spun Light Floor black diffuser           | RF12147   |
| 02. | Bag with diffuser supports and o-ring     | RF6610100 |
| 03. | Led rondo' dimmer 220/240v 40-250w 4-100w | RF28045   |



RF12147

Spun Light Floor black diffuser



RF6610100

Bag with diffuser supports and o-ring



RF28045

Led rondo' dimmer 220/240v 40-250w 4-100w