


SUPERWIRE S3 UL SHINY

Designed by Formafantasma, 2025

90W - 6450lm - 2700K - CRI> 90

SuperWire is the first family of modular lamps designed by Formafantasma for Flos. A magical and poetic project, with an essential design but a great stage presence, which recalls the work of the great glass masters of the last century. Made of planar glass and polished aluminum, its design originated from the development of a custom-made light source that emits a warm and homogeneous light. Made up of one or more hexagons of planar glass connected by a polished aluminum element, SuperWire lights up its entire surface thanks to a new source: a very thin, flat, soft, flexible LED strip measuring up to one meter, which emits a warm and homogeneous light along its entire length and which can be easily removed for replacement and repair, unique in the panorama of LED bulb-less lamps. Suspension models feature a concealed downlight module for functional accent lighting on tables, complemented by the warm, diffuse glow of the vertical modules.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

EAN	8059607075616
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	LED
Light sources included	Yes
LED type	Filament LED
Power (W)	90
System flux (lm)	6450

Physical

Color	Steel
Length (in)	11.61
Canopy width (in)	216
Canopy height (in)	1.850
Net weight (lb)	48.5
Gross weight (lb)	63.71
Package volume (in)	19833.28
IP internal	20

Download

Mounting instructions [Download PDF](#)

Photometric Files

ULD [Download ULD](#)

Technical Drawings

2D [Download ZIP](#)
3D [Download ZIP](#)



Photometric


Lighting type	Total
Light distribution	Asymmetric
CCT (K)	2700
CRI>	90
Extreme cut off	No

Electrical


Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
Driver	Remote included
Dimmable	Yes
Dimming type	Dimmable
Dimming interface	Dimmer Integrated
Batteries inside	No

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class E



Replaceable (LED only) light source by an end-user



Replaceable control gear by an end-user



00. Led dimmer kit RF35452



RF35452

Led dimmer kit