

FLOS

FU742100 Polished Silver

Taraxacum 88 Ceiling/Wall

Designed by Achille Castiglioni, 1988




LED retrofit - 15 x 3W

Wall/ceiling surface lamp providing direct and reflected lighting. Structure formed by 5 pressed polished aluminum triangles. 15 clear Globolux lamps housed around the structure. Steel ceiling fitting and rose.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



Main specifications

EAN	8059607080351
Mounting	Ceiling, Wall
Environments	Indoor dry location
Light Source Type	Bulb
Light sources included	Yes
Lamp category	LED retrofit
Lamp holders	E26
Number of lamps	15
Power (W)	3

Physical

Color	Polished Silver
Length (in)	24.02
Net weight (lb)	12.79
Gross weight (lb)	21.27
Package volume (in)	10576.07
IP internal	20

Download

[Mounting instructions](#)



Photometric

Lighting type	Total
Light distribution	Asymmetric
Extreme cut off	No

Electrical

Insulation class	I
Frequency (Hz)	60
Main voltage (Vac)	120
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Bulbs



INCLUDED

RF36061

Clear LED Lamp 3W E26 120V
2500K G125 - Dimmable - 15pc




NOT INCLUDED

RF36695

LED Lamp 3W E26 120V 2500K
G125 - Dimmable

Spare Parts



- | | | |
|-----|---|---------|
| 01. | Taraxacum 88 C/W Tige and Cap assembly – New Type | RF37210 |
| 02. | Taraxacum 88 E26 Lampholder | RF17033 |
| 03. | Taraxacum 88 Lampholder Support Assembly | RF06118 |



RF37210
Taraxacum 88 C/W Tige and Cap
assembly – New Type



RF17033
Taraxacum 88 E26 Lampholder



RF06118
Taraxacum 88 Lampholder
Support Assembly