

# FLOS

F7441000 Polished Aluminium

## Taraxacum 88 Suspension 2

Designed by Achille Castiglioni, 1988



LED retrofit - 120 x 3W

Suspension fixture providing direct and reflected lighting. Structure formed by 20 pressed, polished aluminum triangles. 120 clear Globolux lamps housed around the structure. Steel ceiling fitting and rose.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

### Main specifications

Mounting	Suspension
Environments	Indoor dry location
Light source type	Bulb
Light sources included	Yes
Lamp category	LED retrofit
Lamp holders	E27
Ilcos	HSGSG
Number of lamps	120
Power (W)	3

### Physical

Colour	Polished Aluminium
Length (mm)	1050
Cord colour	Black
Cord length (mm)	6000
Canopy colour	Black
Canopy length/diameter (mm)	180
Canopy height (mm)	85
Net weight (kg)	40.3
Package volume (m3)	1.44
IP internal	20



### Download

[Mounting instructions](#)




### Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F



## Schematic light drawing



Luminous flux luminaire  
26400 lm

### Photometric

Lighting type	Total
Light distribution	Asymmetric
Extreme cut off	No

### Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

## Bulbs



NOT INCLUDED

RF24894

LED Global Lamp 3W 200lm E27  
180-265V 2500K




INCLUDED

RF27119

LED Global Lamp E27 3W 2500K  
Dimmable (Set 15pcs)

## Spare Parts



01. Rose assembly

RF01484



RF01484

Rose assembly