

FLOS

 F7764048 Ochre-Grey

Tatou Floor

Designed by Patricia Urquiola, 2012


Halogen - 205W



Diffused light floor lamp. External diffuser in Polycarbonate. Internal diffuser in injection-printed opal Polycarbonate. Support and base in painted steel.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



Main specifications

EAN	8059607007426
Mounting	Floor
Environments	Indoor dry location
Light source type	Bulb
Light sources included	No
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGS
Number of lamps	1
Power (W)	205

Physical

Colour	Ochre-Grey
Length (mm)	500
Cord colour	Black
Net weight (kg)	16.4
Package volume (m3)	0.59
IP internal	20

Download

Mounting instructions 

Photometric Files

LDT / IES 


Technical Drawings

2D 

3D 



Schematic light drawing




Photometric

Lighting type	Direct, Indirect
Light distribution	Asymmetric
Extreme cut off	No

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
Dimmable	Yes
Dimming interface	Dimmer Integrated
Plug type	Type C
Batteries inside	No

Bulbs




NOT INCLUDED

RF26998
LED 21W E27 2450lm 3000K
DIMMER

NOT INCLUDED

RF30429
LED Opal Lamp E27 21W 2700K
A65 Dimmable

Spare Parts



01.	Tatou F/S Ochre-grey diffuser assembly	F7755048
02.	Tatou F/S Kit with screws opal reflector assembly	RF7755100
03.	Tatou F/S Reflector assembly	RF7755200
04.	Black Led Dimmer 4W -25W	RF28209
05.	Kit of 5 white feed pads for base	RF3020100



F7755048

Tatou F/S Ochre-grey diffuser assembly



RF7755100

Tatou F/S Kit with screws opal reflector assembly



RF7755200

Tatou F/S Reflector assembly



RF28209

Black Led Dimmer 4W -25W



RF3020100

Kit of 5 white feed pads for base