

FLOS


06.2680.ER Brushed Steel

The Glowing Track Blind Vertical

Designed by FLOS Architectural, 2025

Length: 1810 - Ceiling

Surface electrified track designed for maximum versatility, allowing the installation of a wide range of projectors and accent lighting modules. Available in three lengths (1200 mm, 1800 mm, and 2400 mm). Driver included.



Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

Main specifications

| | |
|---------------|---------------------|
| Mounting | Ceiling |
| Environments | Indoor dry location |
| Lamp category | LED |

Physical

| | |
|-------------|---------------|
| Colour | Brushed Steel |
| Orientation | Fixed |
| Length (mm) | 1810 |
| Cord colour | Transparent |
| IP internal | 20 |

Download

[Mounting instructions](#)



Electrical

| | |
|-------------------|---|
| Insulation class | III |
| Power supply | Remote |
| Dimmable | Yes |
| Power supply type | Dimmable DALI 2 |
| Dimming interface | Remote Dimmable (Dimmer Not Included) |
| Batteries inside | No |

Accessories & Power Supply



REQUIRED
Power supply

Electrical

60.9777A

Remote Power Supply Non
Dimmable 24V. 120W. 220/240V

REQUIRED
Power supply

Electrical

60.9705A

Remote Power Supply Non
Dimmable 24V. 60W. 220/240V

OPTIONAL
Connector

08.1206.ER

Corner Joint 2
Suspension/Surface