

# FLOS

06.6001.14 Black

## The Micro Running Magnet Recessed Profile

Designed by FLOS Architectural, 2020




Length: 1500 - Wall recessed, Ceiling recessed

Electromechanical profile of reduced size for recessed installation in plasterboard ceilings/walls with lengths from 1 to 3 m.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



### Main specifications

Mounting	Wall recessed, Ceiling recessed
Environments	Indoor dry location
Light sources included	No
Power (W)	120

### Physical

Colour	Black
Length (mm)	1500
Net weight (kg)	0.73
IP internal	20

### Download

[Mounting instructions](#)



## Electrical

Insulation class	III
Forward voltage (V)	24
Power supply	Remote excluded
Dimmable	Yes
Power supply type	Non Dimmable
Dimming interface	Remote Dimmable (Dimmer Not Included)

## Accessories & Power Supply



REQUIRED

Installation

06.6034.14

Recessed/Surface Feed  
Connector



REQUIRED

Power supply

Electrical

60.9374

Remote Power Supply Non  
Dimmable 24V. 60W. 220/240V



REQUIRED

Power supply

Electrical

60.9777A

Remote Power Supply Non  
Dimmable 24V. 120W. 220/240V



REQUIRED

Installation

06.6036.14

Recessed/Surface End Caps. 1  
unit kit



REQUIRED

Power supply

Electrical

60.9516

Remote Power Supply Non  
Dimmable 24V. 120W. 220/240V



REQUIRED

Power supply

Electrical

60.9443

Remote Power Supply Non  
Dimmable 24V. 100W. 220/240V



REQUIRED

Power supply

Electrical

60.9515

Remote Power Supply Non  
Dimmable 24V. 60W. 220/240V



OPTIONAL

Corner

Installation

06.6030.14

90° Corner. Electrical/mechanical  
connection



OPTIONAL  
Corner

Installation

06.6032.14  
Inner corner.  
Electrical/mechanical connection



OPTIONAL  
Installation

06.6035.14  
Recessed/Surface Intermediate  
Connector



OPTIONAL  
Control interface

Electrical

60.9677A  
LED module Dali/Push dimmable  
control unit for 12, 24 or 48Vdc



OPTIONAL  
Accessory

Electrical

60.9938  
Controller Casambi. Max 12A



OPTIONAL  
Accessory

Electrical

60.9394  
Controller 0/1-10V or Push Dim.  
Max 10A