

## The Micro Running Magnet Surface Profile

Designed by FLOS Architectural, 2020



Length: 39.38 - Wall surface, Ceiling surface

'Electromechanical profile of reduced size for installation on surfaces (ceiling or wall) with lengths from 1 to 3 m.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

### Main specifications

|                        |                               |
|------------------------|-------------------------------|
| Mounting               | Wall surface, Ceiling surface |
| Environments           | Indoor dry location           |
| Light sources included | No                            |
| Power (W)              | 120                           |

### Physical

|                   |       |
|-------------------|-------|
| Color             | White |
| Length (in)       | 39.38 |
| Net weight (lb)   | 0.36  |
| Gross weight (lb) | 0.69  |
| IP internal       | 20    |



Download

Family spec sheet

ZIP

Mounting instructions

PDF



## Electrical

|                     |                                             |
|---------------------|---------------------------------------------|
| Insulation class    | III                                         |
| Forward voltage (V) | 24                                          |
| Driver              | Remote excluded                             |
| Dimmable            | Yes                                         |
| Dimming type        | Non Dimmable                                |
| Dimming interface   | Remote Dimmable<br>(Dimmer Not<br>Included) |

Accessories & Power Supply



REQUIRED  
06.6034.40  
Recessed/Surface Feed  
Connector



REQUIRED  
ACCESSORYTYPE2  
06.6036.40  
Recessed/Surface End Caps. 1  
unit kit



REQUIRED  
Power supply  
ACCESSORYTYPE1  
LEDSB60W24V-NDM-D01  
LED Driver, 24VDC, 60W, Non-  
Dimming, 120-277V



REQUIRED  
Power supply  
LEDSB96W24V-NDM-D01  
LED Driver, 24VDC, 96W, Non-  
Dimming, 120-277V



OPTIONAL  
Corner  
ACCESSORYTYPE2  
06.6033.40  
Surface Inner Corner. Electrical /  
Mechanical Joint



OPTIONAL  
ACCESSORYTYPE2  
06.6035.14  
Recessed/Surface Intermediate  
Connector



OPTIONAL  
Corner  
ACCESSORYTYPE2  
06.6031.40  
Surface 90° Corner. Electrical /  
Mechanical Joint