FLOS


60.3105.14.US Black

Three Phase Track Recessed 8ft

Length: 8 - Wall recessed, Ceiling recessed



To be mounted with the surface track inside, not included, needs to be ordered separatedly. GLOBAL TRACK offers benefits for advanced installations: the main connectors are feedable and the feeding cable can be hidden under the elegant suspension accessories. GLOBAL TRACK lighting tracks are designed for easy surface mounting on ceilings and walls, or recessed mounting in suspended ceilings. Lighting tracks can be suspended at any desired height. Other advantages of the three-circuit system are its high loading capacity and the possibility of forming independent fixture groups in all three circuits. This permits illumination of the most demanding environments. To be fixed with specific screw plugs that come with the track. All accessories need to be order separately.



How to order sample

SURFACE TRACK	60.310X.XX (Part number / Finish)	x QTY 1
+		
RECESSED HOUSING	60.311X.XX (Part number / Finish)	x QTY 1

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Download

Family spec sheet ZIP

Main specifications

Mounting	Wall recessed, Ceiling recessed
Environments	Indoor dry location

Physical

Color	Black
Trim	Yes
Field cuttable	Yes
Length (in)	8

Electrical

Dimmable	No

©2026 Flos - P.IVA 00290820174 - 11/1/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

Accessories & Power Supply



OPTIONAL
Accessory

ACCESSORYTYPE2

60.3016.11.US

Blind end



OPTIONAL
Accessory

ACCESSORYTYPE2

60.3016.14.US

Blind end



OPTIONAL
Accessory

ACCESSORYTYPE2

60.3025.11.US

Bracket



OPTIONAL
Accessory

ACCESSORYTYPE2

60.3025.14.US

Bracket



OPTIONAL
Accessory

ACCESSORYTYPE1

60.3038.11.US

Live End Feed Right XTS 12



OPTIONAL
Accessory

ACCESSORYTYPE1

60.3038.14.US

Live End Feed Right XTS 12



OPTIONAL
Accessory

ACCESSORYTYPE1

60.3039.11.US

Live end left



OPTIONAL
Accessory

ACCESSORYTYPE1

60.3039.14.US

Live end left

©2026 Flos - P.IVA 00290820174 - 11/1/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.



OPTIONAL
Accessory

ACCESSORYTYPE3

60.3054.00.US

Lead bending key

©2026 Flos - P.IVA 00290820174 - 11/1/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

Spare Parts



.	Blind end	60.3016.11.US
.	Blind end	60.3016.14.US
.	Connector 90° Inside	60.3029.11.US
.	Connector 90° Inside	60.3029.14.US
.	Cross Coupling	60.3036.11.US
.	Connector T - Inside Left	60.3048.11.US
.	Corner adjustable connector	60.3046.14.US
.	Connector T - Inside Left	60.3048.14.US
.	Cross Coupling	60.3036.14.US
.	Live center Feed	60.3043.11.US
.	Live center Feed	60.3043.14.US
.	Straight connector	60.3044.11.US
.	Straight connector	60.3044.14.US
.	Corner adjustable connector	60.3046.11.US

©2026 Flos - P.IVA 00290820174 - 11/1/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.



Accessory

ACCESSORYTYPE2

60.3016.11.US

Blind end



Accessory

ACCESSORYTYPE2

60.3016.14.US

Blind end



Accessory

ACCESSORYTYPE1

60.3029.11.US

Connector 90° Inside



Accessory

ACCESSORYTYPE1

60.3029.14.US

Connector 90° Inside



Accessory

ACCESSORYTYPE1

60.3036.11.US

Cross Coupling



Accessory

ACCESSORYTYPE2

60.3048.11.US

Connector T - Inside Left



Accessory

ACCESSORYTYPE1

60.3046.14.US

Corner adjustable connector



Accessory

ACCESSORYTYPE2

60.3048.14.US

Connector T - Inside Left

©2026 Flos - P.IVA 00290820174 - 11/1/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.



Accessory

ACCESSORYTYPE1

60.3036.14.US

Cross Coupling



Accessory

ACCESSORYTYPE1

60.3043.11.US

Live center Feed



Accessory

ACCESSORYTYPE1

60.3043.14.US

Live center Feed



Accessory

ACCESSORYTYPE1

60.3044.11.US

Straight connector



Accessory

ACCESSORYTYPE1

60.3044.14.US

Straight connector



Accessory

ACCESSORYTYPE1

60.3046.11.US

Corner adjustable connector

©2026 Flos - P.IVA 00290820174 - 11/1/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.