

FLOS

■ FU763030 Black


Toio Led

Designed by Achille and Pier Giacomo Castiglioni, 1962

LED retrofit - 23W



Its designers named it for the English word for "toy," for good reason: This inventive lamp inspires the imagination, blending an industrial style with a timeless and whimsical design. It's easy to see why this legendary favorite—designed by the famed Castiglioni brothers—has garnered so many awards, even earning a place in the permanent collection at the Museum of Modern Art in New York. The Toio floor lamp has an enamel steel base that supports a hexagon shaped, nickel-plated brass stem. Along the stem are fishing rod rings used to guide the electrical cord from the bulb to the transformer. A cleat on the base, like that found on a boat or ship, serves as a functional element designed to keep the cord neatly coiled in when the lamp is adjusted to a lower height. In this version Toio comes with an LED bulb and provides indirect light. Adjustable height. Available in black, red or white finish. Inspiration behind the design: The contemporary floor lamp was designed by brothers Achille and Pier Giacomo Castiglioni, who were inspired by a car's headlight.



Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

Main specifications

EAN	8059607035887
Mounting	Floor
Environments	Indoor dry location
Light Source Type	Bulb
Light sources included	Yes
Lamp category	LED retrofit
Lamp type	PAR56
Lamp holders	Gx16d
Number of lamps	1
Power (W)	23

Physical

Color	Black
Length (in)	6.69
Cord color	Black
Cord length (in)	97.244
Net weight (lb)	19.4
Gross weight (lb)	23.81
Package height (in)	63.78
Package width (in)	10.24
Package length (in)	11.42
Package volume (in)	7453.96
IP internal	20

Download

Mounting instructions [↓ PDF](#)

Photometric Files

LDT / IES [↓ LDT](#)


Technical Drawings

2D [↓ ZIP](#)

3D [↓ ZIP](#)



Schematic light drawing



Beam Angle: 103°

h(m) E(lx) D(m)

1 751 2.53

2 188 5.06

3 83 7.59

4 47 10.12

5 30 12.64

Luminous flux luminaire
2072 lm

Photometric

Light distribution Symmetric

Extreme cut off No

Electrical

Insulation class II

Frequency (Hz) 60

Main voltage (Vac) 120


Dimmable No

Dimming interface Switch Integrated (Not Dimmable)

Plug type Type A

Batteries inside No

Bulbs




INCLUDED

RF28283

Toio Led Lamp

Spare Parts



01.	Toio Led Nickel plated brass cage	RF02774
02.	Toio Led Electric wiring	RF36898
03.	Toio Led Body rod	RF02775
04.	Toio/Toio Led Black base	RF02580
05.	Toio Led wired ballast	RF7600300
07.	Toio Electrical Wiring Assembly	RF19220
	With Switch And 2 Pole Plug	
08.	Black d/661 on-off switch	RF04392
09.	Wire loop assembly	RF7600100
10.	Toio Cable winder support	RF06730



RF02774
Toio Led Nickel plated brass cage



RF36898
Toio Led Electric wiring transformer headlight new type



RF02775
Toio Led Body rod



RF02580
Toio/Toio Led Black base



RF7600300
Toio Led wired ballast



RF19220
Toio Electrical Wiring Assembly With Switch And 2 Pole Plug



RF04392
Black d/661 on-off switch



RF7600100
Wire loop assembly



RF06730

Toio Cable winder support