

FLOS

F9513009 Grey Cable/White Ring

Wirering Grey

Designed by Formafantasma, 2018

16W - 712lm - 2700K - CRI> 90

An exercise in reduction, stripped back to its most essential elements, offering beautifully rendered light from a spectacular wall sconce like you have never seen. The wire holds a simple ring fitted with an LED strip. The cable and ring are available in different color combinations and a range of finishes. Inspiration behind the design: Elevating what is hidden, showcasing the lamp's wire, we appreciate its sculptural beauty.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

Mounting	Wall
Environments	Indoor dry location
Light Source Type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	16
System flux (lm)	712

Physical

Color	Grey Cable/White Ring
Length (in)	12.2
Net weight (lb)	2.08
Gross weight (lb)	3.73
Package volume (in)	1044.24
IP internal	20



Download

Mounting instructions [Download PDF](#)

Photometric Files

LDT / IES [Download LDT](#)


Technical Drawings

2D [Download ZIP](#)

3D [Download ZIP](#)



Schematic light drawing



Photometric

Lighting type	Indirect
Light distribution	Asymmetric
CCT (K)	2700
CRI>	90
Extreme cut off	No

Electrical


Insulation class	III
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
Driver	Remote included
Dimmable	Yes
Dimming type	Electronic 24V
Dimming interface	Dimmer Integrated
Plug type	Type A, Type C, Type G
Batteries inside	No

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F




Replaceable (LED only) light source by a professional



Replaceable control gear by an end-user

Spare Parts



- | | | |
|-----|---|-----------|
| 01. | Wirering Kit with screws, nuts and components | RF9510100 |
| 02. | Wirering Ring assembly | RF26674 |
| 03. | Wirering Electrical mounting body assembly | RF26649 |
| 04. | Wirering Electrical mounting assembly with dimmer | RF26645 |
| 05. | Black plug assembly kit & 24V driver | RF6600230 |



RF9510100

Wiring Kit with screws, nuts and components



RF26674

Wiring Ring assembly



RF26649

Wiring Electrical mounting body assembly



RF26645

Wiring Electrical mounting assembly with dimmer



RF6600230

Black plug assembly kit & 24V driver