

## Zero Track Surface Profile

Designed by FLOS Architectural, 2018



Electro-mechanical indoor profile for surface installation (ceiling or wall). To be fixed with specific screw plugs that come with the profile.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

### Main specifications

|                        |                               |
|------------------------|-------------------------------|
| Mounting               | Wall surface, Ceiling surface |
| Environments           | Indoor dry location           |
| Light sources included | no                            |

### Physical

|                 |                 |
|-----------------|-----------------|
| Colour          | Polished Silver |
| Trim            | No              |
| Length (mm)     | 1000            |
| Net weight (kg) | 0.21            |
| IP internal     | 20              |



### Download

Mounting instructions

PDF



### Photometric

Extreme cut off No

### Electrical

|                   |                                |
|-------------------|--------------------------------|
| Insulation class  | III                            |
| Power supply      | Remote excluded                |
| Dimmable          | Yes                            |
| Power supply type | Non Dimmable, Dimmable Casambi |

## Notes

It is necessary to order the power connector, intermediate connectors and covers separately. Feed unit connectors available as 90° flat corner and curve (symmetric element for left/right corner), ceiling/wall - wall/wall inner corner, as well as "T" and "X" shape. For vertical installations, installing the stopper is mandatory. It must be ordered separately.

PWM voltage output dimmable drivers shall be used at frequencies between 250 and 500Hz.

---

Accessories & Power Supply



REQUIRED  
06.2509.14  
Zero Track Surface Profile. End Cap



REQUIRED  
Power supply  
Electrical  
60.9515  
Remote Power Supply Non Dimmable 24V. 60W. 220/240V



REQUIRED  
Power supply  
Electrical  
06.2510.40A  
Power supply surface end. 96W - 220/240V



REQUIRED  
Power supply  
Electrical  
06.2511.14A  
Power supply surface middle. 96W - 220/240V



REQUIRED  
Power supply  
Electrical  
60.9516  
Remote Power Supply Non Dimmable 24V. 120W. 220/240V



REQUIRED  
06.2509.40  
Zero Track Surface Profile. End Cap



REQUIRED  
Power supply  
Electrical  
60.9777A  
Remote Power Supply Non Dimmable 24V. 120W. 220/240V



REQUIRED  
Power supply  
Electrical  
60.9374  
Remote Power Supply Non Dimmable 24V. 60W. 220/240V



REQUIRED  
Power supply  
Electrical

06.2510.14A

Power supply surface end. 96W - 220/240V



REQUIRED  
Power supply  
Electrical

06.2511.40A

Power supply surface middle. 96W - 220/240V



REQUIRED  
Power supply  
Electrical

60.9443

Remote Power Supply Non Dimmable 24V. 100W. 220/240V



OPTIONAL  
06.2541.18

Zero Track Surface Profile. Feed intermediate connector



OPTIONAL  
06.2506.14

Zero Track Surface Profile. Intermediate Connector



OPTIONAL  
06.2506.40


Zero Track Surface Profile. Intermediate Connector



OPTIONAL  
Corner

06.2543.18


Zero Track Surface Profile. Ceiling/wall - wall/wall inner corner



OPTIONAL  
Corner

06.2545.40

Zero Track Surface Profile. T-shaped connector



OPTIONAL  
Corner

06.2545.CZ

Zero Track Surface Profile. T-shaped connector



OPTIONAL  
Corner

06.2544.18

Zero Track Surface Profile. Interior ceiling/ceiling-wall/wall curve



OPTIONAL  
Corner

06.2544.14

Zero Track Surface Profile. Interior ceiling/ceiling-wall/wall curve



OPTIONAL  
Accessory

08.0630.14

Stopper



OPTIONAL  
Accessory

08.0630.40

Stopper



OPTIONAL

06.2541.14


Zero Track Surface Profile. Feed intermediate connector



OPTIONAL  
Corner

06.2544.40

Zero Track Surface Profile. Interior ceiling/ceiling-wall/wall curve



OPTIONAL  
Corner

06.2542.CZ

Zero Track Surface Profile. 90° Flat Corner



OPTIONAL  
Corner

06.2542.40

Zero Track Surface Profile. 90°  
Flat Corner



OPTIONAL  
Corner

06.2543.40

Zero Track Surface Profile.  
Ceiling/wall - wall/wall inner  
corner



OPTIONAL  
Corner

06.2545.14

Zero Track Surface Profile. T-  
shaped connector



OPTIONAL  
Corner

06.2546.18

Zero Track Surface Profile. Cross-  
shaped connector



OPTIONAL  
Corner

06.2545.18

Zero Track Surface Profile. T-  
shaped connector



OPTIONAL  
Corner

06.2546.40


Zero Track Surface Profile. Cross-  
shaped connector



OPTIONAL  
Corner

06.2546.14


Zero Track Surface Profile. Cross-  
shaped connector



OPTIONAL  
Corner

06.2546.CZ

Zero Track Surface Profile. Cross-  
shaped connector



OPTIONAL  
Corner

06.2542.18

Zero Track Surface Profile. 90°  
Flat Corner



OPTIONAL  
Corner

06.2543.14

Zero Track Surface Profile.  
Ceiling/wall - wall/wall inner  
corner



OPTIONAL

06.2541.40

Zero Track Surface Profile. Feed  
intermediate connector



OPTIONAL

06.2541.CZ

Zero Track Surface Profile. Feed  
intermediate connector



OPTIONAL  
Corner

06.2544.CZ


Zero Track Surface Profile.  
Interior ceiling/ceiling-wall/wall  
curve



OPTIONAL  
Corner

06.2543.CZ

Zero Track Surface Profile.  
Ceiling/wall - wall/wall inner  
corner



OPTIONAL  
Corner

06.2542.14

Zero Track Surface Profile. 90°  
Flat Corner