



A1401031 Matte Black

2097/30 (frosted bulbs)

Designed by Gino Sarfatti, 1958



LED retrofit - 30 x 15W

Suspension lamp providing diffused light. Steel central structure with brass arms, both available either chromium-plated or golded. Steel ceiling fitting and rose.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

| EAN | 8059607000007 | |
|-------------------|---------------------|--|
| Mounting | Suspension | |
| Environments | Indoor dry location | |
| Light Source Type | Bulb | |
| Lamp category | LED retrofit | |
| Lamp holders | E14 | |
| Ilcos | IBS/F | |
| Number of heads | 30 | |
| Power (W) | 15 | |

Physical

| Colour | Matte Black |
|-----------------------|-------------|
| Length (mm) | 880 |
| Cord length (mm) | 2800 |
| Canopy dimension (mm) | 36 |
| Canopy width (mm) | 146 |
| Net weight (kg) | 5.6 |
| Package volume (m3) | 0.02 |
| IP internal | 20 |
| | |



Download

| 1ounting instructions | 业 | PDF |
|-----------------------|---|-----|
| pare Parts | 1 | PDF |

Photometric Files

LDT / IES

业 LDT

Technical Drawings

| 2D | <u>↓</u> ZIP |
|----|--------------|
| 3D | ⊥ ZIP |






















Schematic light drawing



Photometric


| Lighting type | Total |
|--------------------|------------|
| Light distribution | Asymmetric |
| Extreme cut off | No |

Electrical

| Insulation class | 1 |
|----------------------|---|
| Frequency (Hz) | 50/60 |
| Main voltage (Vac) | 220-250 |
| LED voltage Vf (Vdc) | null |
| Dimmable | Yes |
| Dimming interface | Remote Dimmable (Dimmer Not Included) |
| Batteries inside | No |









NOT INCLUDED

DE25216

LED Frosted Lamp 2,7W E14 150lm 2700K Dimmable T26 Dimmable

NOT INCLUDED

RF28422

LED Clear Lamp 2W E14 220-240 2200K T26 Dimmable

INCLUDED

RF28987


LED Frosted Mini Lamp E14 2,7W 2700K Dimmable (set 32pcs)

NOT INCLUDED

RF28988

LED Clear Mini Lamp E14 2W 2200K Dimmable (Set 32pcs)

Spare Parts



| 02. | Opal black short arm (180mm) | RF22385 |
|-----|------------------------------|-----------|
| 03. | Opal black medium arm | RF22388 |
| | (330mm) | |
| 04. | Opal black long arm (430mm) | RF22389 |
| 05. | 2097 E14 lamp holder | RL7050100 |
| 06. | Opal black screw kit | RF1400100 |
| 07. | Opal black lower cap | RF1400200 |

DOWNLOAD







RF22385

Opal black short arm (180mm)

RF22388

Opal black medium arm (330mm)

RF22389

Opal black long arm (430mm)

RL7050100

2097 E14 lamp holder





RF1400100

RF1400200

Opal black screw kit

Opal black lower cap