

FLOS


FU009509 White

Aim Small

Designed by Ronan & Erwan Bouroullec, 2014

12W - 725lm - 2700K - CRI> 90

Like the others in the AIM family created by the Bouroullec brothers in 2010, the AIM-Small ceiling light is a design stripped to its most basic-and beautiful-essence. This innovative form of modern pendant lighting is constructed from a varnished aluminum sheet with a photo-etched optical PC (polycarbonate) shade. The internal reflector is photo-etched ABS. The cable can be adjusted to allow the fixture head and light distribution to be aimed in whatever way you choose. Available in classic white, black and bronze in addition to new lively colors introduced in 2021 Anodized Blue Steel, Anodized Green, and Anodized Light Silver. The AIM Small pendant light provides direct lighting and is available in three versions: a hardwired version that includes a 5" diameter canopy that should be hardwired directly to a 120V junction box (no additional LED is required); a plug-in version with a (non-dimmable) switch; and a fixed version. Inspiration behind the design: When they created the AIM ceiling light, brothers Ronan and Erwan Bouroullec wanted to keep its core essence limited to the source of light and its cord. By doing that, they ensured that the AIM is versatile enough for any setting not only because of its appearance, but also because it provides a convenient, easily "aimed" light. Looking for a larger pendant size from the same collection? See AIM pendant.




Download

Mounting instructions



Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F



Replaceable (LED only) light source by a professional

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

EAN	8059607027691
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	LED
Light sources included	Yes
LED type	Multichip LED
Power (W)	12
System power (W)	12
System flux (lm)	725

Physical

Color	White
Length (in)	6.69
Cord color	White
Cord length (in)	354.331
Canopy color	White
Canopy lenght/diameter (in)	4.488
Canopy height (in)	0.748
Net weight (lb)	2.98
Package height (in)	11.81
Package width (in)	12.2
Package length (in)	11.81
Package volume (in)	1702.57
IP internal	20



Photometric

Light distribution	Roto symmetric
CCT (K)	2700
CRI>	90
Extreme cut off	No

Electrical

Insulation class	II
Frequency (Hz)	60
Main voltage (Vac)	120
Driver	Integrated
Dimmable	Yes
Dimming type	Mains Cut Dimming
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Accessories & Power Supply



OPTIONAL

FU009309

AIM Multi Canopy in White

Spare Parts



01.	Aim/Aim Small Ceiling attachment assembly	RF0090109
02.	Aim/Aim Small Kit of quantity 3 m4 screws	RF06749
03.	White ceiling rose assembly for Aim Small and Can Can	RFU155509
04.	Assembly Led Board 2700K for Aim Small	RFU009600



RF0090109

Aim/Aim Small Ceiling attachment
assembly




RF06749

Aim/Aim Small Kit of quantity 3
m4 screws



RFU155509

White ceiling rose assembly for
Aim Small and Can Can



RFU009600

Assembly Led Board 2700K for
Aim Small