

## Arrangements Broken Line

Designed by Michael Anastassiades, 2018



29W - 1200lm - 2700K

A single Broken Line fixture for Arrangements

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

### Main specifications

|                        |                     |
|------------------------|---------------------|
| EAN                    | 8059607014097       |
| Mounting               | Suspension          |
| Environments           | Indoor dry location |
| Light Source Type      | LED                 |
| Light sources included | Yes                 |
| LED type               | LED Module          |
| Power (W)              | 29                  |
| System flux (lm)       | 1200                |

### Physical

|                     |         |
|---------------------|---------|
| Color               | Black   |
| Length (in)         | 40.16   |
| Cord length (in)    | 98.425  |
| Net weight (lb)     | 1.1     |
| Package height (in) | 1.77    |
| Package width (in)  | 31.89   |
| Package length (in) | 30.71   |
| Package volume (in) | 1734.91 |
| IP internal         | 20      |



### Download

Mounting instructions [↓ PDF](#)

### Photometric Files

LDT / IES [↓ LDT](#)


### Technical Drawings

2D [↓ ZIP](#)

3D [↓ ZIP](#)




Schematic light drawing



Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F



Replaceable (LED only)  
light source by a  
professional


Photometric

|                    |           |
|--------------------|-----------|
| Light distribution | Symmetric |
| CCT (K)            | 2700      |
| Extreme cut off    | No        |

Electrical

|                    |  |
|--------------------|--|
| Insulation class   | III                                      |
| Frequency (Hz)     | 50/60                                    |
| Main voltage (Vac) | 48                                       |
| Driver             | Remote                                   |
| Dimmable           | Yes                                      |
| Dimming type       | Electronic 48V                           |
| Dimming interface  | Remote Dimmable<br>(Dimmer Not Included) |
| Batteries inside   | No                                       |


Accessories & Power Supply



REQUIRED

FU041530

Arrangements Big Rose



REQUIRED

FU041830

Arrangements Recessed Rose