

FLOS

■ F0413030 Black

Arrangements Drop Down

Designed by Michael Anastassiades, 2018



30W - 1530lm - 2700K

A drop down light fixture part of the Flos Arrangements pendant light

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

EAN	8059607014158
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	30
System flux (lm)	1530

Physical

Color	Black
Length (in)	19.49
Cord length (in)	98.425
Net weight (lb)	1.43
Package height (in)	1.77
Package width (in)	21.46
Package length (in)	29.72
Package volume (in)	1129.55
IP internal	20



Download

Mounting instructions [↓ PDF](#)

Photometric Files

LDT / IES [↓ LDT](#)


Technical Drawings

2D [↓ ZIP](#)

3D [↓ ZIP](#)



Schematic light drawing



Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F




Photometric

Light distribution	Symmetric
CCT (K)	2700
Extreme cut off	No

Electrical

Insulation class	III
Frequency (Hz)	50/60
Main voltage (Vac)	48
Driver	Remote
Dimmable	Yes
Dimming type	Electronic 48V
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No


Accessories & Power Supply



REQUIRED

FU041530


Arrangements Big Rose



REQUIRED

FU041830

Arrangements Recessed Rose



REQUIRED

FU041630

Arrangements Small Rose