


FLOS

■ F0416030 Black

Arrangements Small Rose

Designed by Michael Anastassiades, 2018




Small Rose-MAX70

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

Download

[Mounting instructions](#)  PDF

[Spare Parts](#)  PDF


Main specifications

EAN	8059607001011
Mounting	Suspension
Environments	Indoor dry location
Power (W)	78

Physical

Colour	Black
Cord colour	Black
Cord length (mm)	2400
Canopy colour	Black
Canopy length/diameter (mm)	150
Canopy height (mm)	70
Net weight (kg)	1.25
Package height (mm)	120
Package width (mm)	240
Package length (mm)	260
Package volume (m3)	0.01
IP internal	20

Ecodesign and Energy Labelling



Replaceable control gear by a professional




Photometric

Extreme cut off No

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	120-277
Power supply	Integrated
Dimmable	Yes
Power supply type	Dimmable 0-10V, Dimmable Push, Dimmable 1-10V, Dimmable DALI 1
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Spare Parts



- | | | |
|-----|--|-----------|
| 01. | Stretch cable ceiling rose kit | RF0410400 |
| 05. | Power supply kit for Arrangements small & Noctambule | RF0410500 |
| 08. | Small ceiling rose cover | RF0410700 |
| 09. | Spacers cable | RF26602 |
| 10. | Regolation cables key | RF26440 |
| 11. | Element support assembly | RF26906 |

DOWNLOAD



RF0410400
Stretch cable ceiling rose kit



RF0410500
Power supply kit for
Arrangements small &
Noctambule



RF0410700
Small ceiling rose cover



RF26602
Spacers cable



RF26440
Regulation cables key



RF26906
Element support assembly