






Designed by Michael Anastassiades, 2018

20W - 883lm - 2700K

A small square light fixture part of the Flos Arrangements pendant light

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



EAN	8059607014141
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	20
System flux (lm)	883

Physical

Color	Black
Length (in)	11.89
Cord length (in)	98.425
Net weight (lb)	0.86
Package height (in)	1.58
Package width (in)	15.35
Package length (in)	16.53
Package volume (in)	399.83
IP internal	20





Mounting instructions



Photometric Files

LDT / IES



Technical Drawings

2D	ı	$\overline{\uparrow}$	ZIP
3D		$\overline{\bot}$	ZIP





















Schematic light drawing



Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F



Replaceable (LED only) light source by a professional

Photometric

Light distribution	Symmetric
CCT (K)	2700
Extreme cut off	No

Electrical

Insulation class	III
Frequency (Hz)	50/60
Main voltage (Vac)	48
Driver	Remote
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Accessories & Power Supply

