



## Clessidra 20°+20°

Designed by Antonio Citterio, 2011

10W - 637lm - 3000K

Diffused direct/indirect-light wall lighting device. Body obtained by means of aluminium pressofusion and diffusers in PMMA. Aluminium wall attachment with cover in PA66. Available in white-painted for indoor version and dark brown-painted or dark gray-painted for outdoor version. High-efficiency lenses specially designed for the application, non-replaceable. Wide range (100-240Volt) power pack integrated in the body. Level IP55

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



## Main specifications

EAN	8059607001493	
Mounting	Wall	
Environments	Indoor wet location	
Light source type	LED	
Light sources included	Yes	
LED type	LED array	
Power (W)	10	
Lumen Outnut (lm)	637	

### Physical

Colour	White
Length (mm)	76
Net weight (kg)	1.1
IP internal	55

### Download

Mounting instructions



## Photometric Files

LDT / IES



## **Technical Drawings**

2D	<b>⊥</b> ZIP
3D	<b>⊥</b> ZIP













https://professional.flos.com/en/global/product/clessidra-2020-f1583009/

F1583009

## Schematic light drawing



Bear	Beam Angle:	
h(m)	E(lx)	D(m)
1	1362	0.33
2	340	0.65
3	151	0.98
4	85	1.30
5	54	1.63

#### Photometric

Lighting type	Indirect, Direct	
Light distribution	Symmetric	
CCT (K)	3000	
Extreme cut off	No	

### Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
Power supply	Integrated
Dimmable	No
Power supply type	Non Dimmable
Dimming interface	Not Dimmable
Batteries inside	No

# **Ecodesign and Energy** Labelling

This product contains a light source of energy efficiency class E




Replaceable (LED only) light source by a professional



Replaceable control gear by a professional

## **Spare Parts**



01.	Clessidra Wall attachment and	F1581030
	internal lamp body 20°+20°	
02.	White external clessidra lamp	F1580009
	body	
03.	Screws and tool kit for clessidra	RF1580100
	external lamp body	







F1581030

Clessidra Wall attachment and internal lamp body 20°+20°

#### 1580009

White external clessidra lamp body

#### RF1580100

Screws and tool kit for clessidra external lamp body