



FU158318 Deep Brown

Clessidra 20°+20°

Designed by Antonio Citterio, 2011



Inspired by the shape of the hourglass, the Clessidra lamp from Antonio Citterio emits diffused direct and indirect light. This stunning wall light has a body made of die-cast aluminum with a powder-coated finish and a diffuser in PMMA (Polymethyl methacrylate). There is an aluminum wall attachment. The cover is in PA66. The fixture has a moisture rating of IP55. A back-plate* with a brown finish is included to cover the junction box. Clessidra also has non-replaceable, specially designed high-efficiency lenses. Clessidra is an elegant option for illuminating hallways and outdoor spaces. It features an LED light source, and the fixture is non-dimmable. The Clessidra outdoor wall light is available in two beam spreads:• Outdoor: 20º + 20º• Outdoor: 40º + 40ºChoose from two finishes, anthracite or dark brown. This wall light is also available as an indoor fixture with different finishes. *Back plate not shown in the image.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

Mounting	Wall
Environments	Indoor Outdoor wet location
Light Source Type	LED
Light sources included	Yes
LED type	LED array
Power (W)	10
System flux (lm)	637

Physical

Color	Deeb Brown
Length (in)	2.99
Net weight (lb)	2.42
Package volume (in)	302.68
IP internal	55



Download

Mounting instructions



Photometric Files

LDT / IES









https://professional.flos.com/en-US/us/product/clessidra-2020-fu158318/

FU158318

Schematic light drawing



Bean	n Angle:	19°
h(m)	E(lx)	D(m)
1	1362	0.33
2	340	0.65
3	151	0.98
4	85	1.30
5	54	1.63

Photometric

Lighting type	Indirect, Direct
Light distribution	Symmetric
CCT (K)	3000
Extreme cut off	No

Electrical

Insulation class	1
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
Driver	Integrated
Dimmable	No
Dimmable Dimming type	No Dimmable

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class E



Replaceable (LED only) light source by a professional



Replaceable control gear by a professional

Notes

Compliance: ADA



O1. Clessidra 20 UL Wall Attachment FU158118
 O2. Deep brown external clessidra F1580018

 lamp body

 O3. Screws and tool kit for clessidra external lamp body







FU158118

Clessidra 20 UL Wall Attachment

F1580018

Deep brown external clessidra lamp body

RF1580100

Screws and tool kit for clessidra external lamp body