

Clessidra 40°+40°

Designed by Antonio Citterio, 2011



Inspired by the shape of the hourglass, the Clessidra lamp from Antonio Citterio emits diffused direct and indirect light. This stunning wall light has a body made of die-cast aluminum with a powder-coated finish and a diffuser in PMMA (Polymethyl methacrylate). There is an aluminum wall attachment. The cover is in PA66. The fixture has a moisture rating of IP55. A back-plate* with a brown finish is included to cover the junction box. Clessidra also has non-replaceable, specially designed high-efficiency lenses. Clessidra is an elegant option for illuminating hallways and outdoor spaces. It features an LED light source, and the fixture is non-dimmable. The Clessidra outdoor wall light is available in two beam spreads:• Outdoor: 20 + 20; Outdoor: 40 + 40Choose from two finishes, anthracite or dark brown. This wall light is also available as an indoor fixture with different finishes. *Back plate not shown in the image.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

EAN	8059607010747	
Mounting	Wall	
Environments	Indoor wet location	
Light Source Type	LED	
Light sources included	Yes	
LED type	LED array	
Power (W)	10	
System flux (lm)	601	

Physical

Color	White
Length (in)	2.99
Net weight (lb)	2.42
Package volume (in)	302.56
IP internal	55



Download

Mounting instructions



Photometric Files

LDT / IES







https://professional.flos.com/en-US/us/product/clessidra-4040-fu158409/

FU158409

Schematic light drawing



Beam	Beam Angle: - 40°			
h(m)	E(lx)	D(m)		
1	488	0.56		
2	122	1.13		
3	54	1.69		
4	31	2.26		
5	20	2.82		

Photometric

Lighting type	Indirect, Direct	
Light distribution	Symmetric	
CCT (K)	3000	
Extreme cut off	No	

Electrical

Insulation class	1
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
Driver	Integrated
Dimmable	No
Dimmable Dimming type	No Dimmable

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class E



Replaceable (LED only) light source by a professional



Replaceable control gear by a professional

Notes

Compliance: ADA



01.	Clessidra 40 Ul Wall Attachment	FU158209
	White Polish	
02.	White external clessidra lamp	F1580009
	body	
03.	Screws and tool kit for clessidra	RF1580100
	external lamp body	







White external clessidra lamp body



RF1580100 Screws and tool kit for clessidra external lamp body