

Coordinates Ceiling 4

Designed by Michael Anastassiades, 2020

157W - 8830lm - 2700K - CRI> 95

Coordinates is a lighting system consisting of horizontal and vertical strip lights that form illuminated grid-like structures of various complexities. Each element is made of extruded anodized aluminum with a champagne finish and a diffuser in platinum optical silicone with an integrated LED strip (CRI 95). Each element is powered and supported by an invisible electrical and mechanical connection designed specifically to allow for the composition of the three ceiling models (C1 – C2 – C4), which may be combined with the respective Long versions for high ceilings (C1 Long, C2 Long, C4 Long). The ‘Module C’ is also available for large-scale installations Available in two finishes: Champagne and Argent Behind the design: This design evolved from a commission for the feature lighting of the main dining area of the historic Four Seasons restaurant in New York City. The restaurant relocated and opened in 2018 with the interiors designed by S˜o Paolo-based architect Isay Weinfeld.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

EAN	8059607038277
Mounting	Ceiling
Environments	Indoor dry location
Light Source Type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	157
System flux (lm)	8830

Physical

Color	Argent
Length (in)	69.68
Net weight (lb)	17.86
Package volume (in)	4079.57
IP internal	20



Download

Mounting instructions

PDF

Photometric Files


ULD

ZIP

Technical Drawings

3D

ZIP



Photometric

Lighting type	Total
Light distribution	Asymmetric
CCT (K)	2700
CRI>	95
Extreme cut off	No

Electrical


Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
Driver	Integrated
Dimmable	Yes
Dimming type	Dimmable 0-10V, Dimmable Push, Dimmable 1-10V, Dimmable DALI 1
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F



Replaceable (LED only) light source by a professional



Replaceable control gear by a professional

<https://professional.flos.com/en-US/us/product/coordinates-ceiling-4-f1856033/>

F1856033

©2022 Flos - P.IVA 00290820174 - 9/3/2025

professional.flos.com | info@flos.com 2/4

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order to improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

Spare Parts


01.

Led dimmer kit

RF0410300
02.

Coordinates Rod Assembly

RF30918
- L1760 H-10 Argent





RF0410300
Led dimmer kit



RF30918
Coordinates Rod Assembly
L1760 H-10 Argent