



F1801044 Anodized Champagne

Coordinates Floor


Designed by Michael Anastassiades, 2020

57W - 3240lm - 2700K - CRI> 95

Coordinates Floor is a floor lamp with diffuse light composed of two vertical poles that can be oriented during installation, attached to a base with an anodized aluminium cover. Each element is made of extruded anodized aluminium with a champagne finish and a diffuser in platinum optical silicone with an integrated LED strip (CRI 95). Usable power cable length 260 cm with pedal dimmer switch for ON/OFF and adjustable brightness 10–100%. Power supply attached to interchangeable plug.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications

EAN	8059607031223	
Mounting	Floor	
Environments	Indoor dry location	
Light source type	LED	
Light sources included	Yes	
LED type	LED Module	
Power (W)	57	
System flux (lm)	3240	

Physical

Colour	Anodized Champagne
Length (mm)	380
Cord colour	Black
Net weight (kg)	9.2
Package volume (m3)	0.03
IP internal	20

Download

Nounting instructions	<u></u> PDF
lounting instructions	⊥ PDF

Photometric Files

ULD	<u>¥</u> 2	ZIP
I DT / IFS	4	DT

Technical Drawings

3D	⊥ ZIP
₿Bim	.↓. ZIP









https://professional.flos.com/en/global/product/coordinates-floor-f1801044/











F1801044

Photometric

Lighting type	Indirect, Direct
Light distribution	Asymmetric
CCT (K)	2700
CRI>	95
Extreme cut off	No

Electrical

Insulation class	III
Frequency (Hz)	50/60
Main voltage (Vac)	100-240/48
Power supply	Remote included
Dimmable	Yes
Power supply type	Electronic 48V
Dimming interface	Dimmer Integrated
Plug type	Type G, Type A, Type C
Batteries inside	No

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class **F**




Replaceable (LED only) light source by a professional



Replaceable control gear by an end-user

Spare Parts



01.	Assembly Body Fixing for	RF29550
	Coordinates F Anodized	
	Champagne	
02.	Coordinates F Body	RF1800044
03.	Coordinates F Cover Base	RF31891
04.	Switch dimmer 48v pmw 500hz	RF27549
05.	Black plug assembly kit & 48V	RF6600130
	driver	







RF29550

Assembly Body Fixing for Coordinates F Anodized Champagne RF1800044

Coordinates F Body

RF31891

Coordinates F Cover Base

RF27549

Switch dimmer 48v pmw 500hz



RF6600130

Black plug assembly kit & 48V driver