



F1801044 Anodized Champagne

## **Coordinates Floor**


Designed by Michael Anastassiades, 2020

57W - 3240lm - 2700K - CRI> 95

Coordinates' collection consist of horizontal and vertical LED strip lights that form illuminated grid-like structures of various complexities. A vertical floor lamp model featuring a simple round base and two lighting bars, which can be set at the preferred beam angle during assembly. Available in two finishes: Champagne, a luxurious shade of pale tan-with hints of beige, and gold tones and Argent, a shiny grayish metallic silver. Height: 6.5 feet Behind the Design: This design evolved from a commission for the feature lighting of the main dining area of the historic Four Seasons restaurant in New York City. The restaurant relocated and opened in 2018 with the interiors designed by Sã o Paolo-based architect Isay Weinfeld.

Are you a professional and your project needs consulting and support?

**BOOK AN APPOINTMENT** 



## Main specifications

AN 8059607031223		
Mounting	Floor	
Environments	Indoor dry location	
Light Source Type	LED	
Light sources included	Yes	
LED type	LED Module	
Power (W)	57	
System flux (lm) 3240		

# **Physical**

Color	Anodized Champagne	
Length (in)	14.96	
Cord color	Black	
Net weight (lb)	20.28	
Package volume (in)	1963.57	
IP internal	20	

## Download

Mounting instructions	<b>业</b> PDF
Mounting instructions	<b>₺</b> PDF

# Photometric Files

ULD	<b>₹</b> ZIP
LDT / IFS	. <b>↓</b> . LDT

## **Technical Drawings**

3D























https://professional.flos.com/en-US/us/product/coordinates-floor-f1801044/

F1801044

# Photometric

Lighting type	Indirect, Direct
Light distribution	Asymmetric
CCT (K)	2700
CRI>	95
Extreme cut off	No

# Electrical

Insulation class	III	
Frequency (Hz)	50/60	
Main voltage (Vac)	100-240	
Driver	Remote included	
Dimmable	Yes	
Dimming type	Electronic 48V	
Dimming interface	Dimmer Integrated	
Plug type	Type G, Type A, Type C	
Batteries inside	No	

# **Ecodesign and Energy** Labelling

This product contains a light source of energy efficiency class F




Replaceable (LED only) light source by a professional



Replaceable control gear by an end-user

# **Spare Parts**



C	1.	Assembly Body Fixing for	RF29550
		Coordinates Floor Anodized	
		Champagne	
C	2.	Coordinates Floor Body	RF1800044
C	3.	Coordinates Floor Cover Base	RF31891
C	)4.	Coordinates F switch dimmer	RF37531
		assembly (with EMC filter)	
C	)5.	Black plug assembly kit & 48V	RF6600130
		driver	
C	)6.	Coordinates Floor Kit of screws	RF29554
		and screwdriver	









## RF29550

Assembly Body Fixing for Coordinates Floor Anodized Champagne

## RF1800044

Coordinates Floor Body

## RF31891

Coordinates Floor Cover Base

RF3753

Coordinates F switch dimmer assembly (with EMC filter)



Black plug assembly kit & 48V driver

### RF29554

Coordinates Floor Kit of screws and screwdriver