



Glo-Ball Basic 1

Designed by Jasper Morrison, 1998



Table/desk lamp providing diffused light. Diffuser consisting of an externally acidetched, hand blown, flashed opaline glass and a die-cast aluminum threaded ring nut with alodine plating finish. 30% fiberglass reinforced injection-molded polyamide base. Gray painted, die-cast aluminum diffuser support.On the cable there is the electronic dimmer which allows the regulation of light brightness.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

EAN	8059607002346	
Mounting	Table	
Environments	Indoor dry location	
Light source type	Bulb	
Light sources included	No	
Lamp category	Halogen	
Lamp holders	E27	
Ilcos	HSGS	
Number of lamps	1	
Power (W)	150	

Physical

Colour	White
Length (mm)	330
Cord colour	Black
Cord length (mm)	1900
Net weight (kg)	2.61
Package volume (m3)	0.07
IP internal	20



Download

Mounting instructions



Photometric Files

LDT / IES



Technical Drawings

2D	⊥ ZIP
3D	⊥ ZIP
∄Bim	<u>↓</u> ZIP



















https://professional.flos.com/en/global/product/glo-ball-basic-1-f3021000/

F3021000

Schematic light drawing




Photometric

Lighting type	Total
Light distribution	Symmetric
Extreme cut off	No

Electrical

Insulation class	II	
Frequency (Hz)	50/60	
Main voltage (Vac)	220-240	
Dimmable	Yes	
Dimming interface	Dimmer Integrated	
Plug type	Type C	
Batteries inside	No	





NOT INCLUDED

NOT INCLUDED


RF32288


RF32289

LED Lamp E27 15W 2700K T38

LED Lamp E27 15W 3000K T38

Spare Parts





01.	Glo-Ball 1 opal diffuser. Grey	F3050061
	Base	
02.	New version lamp holder	RF2500200
03.	Black Dimmer Switch	RF28206







F3050061

RF2500200

RF28206

Glo-Ball 1 opal diffuser. Grey Base

New version lamp holder

Black Dimmer Switch

https://professional.flos.com/en/global/product/glo-ball-basic-1-f3021000/